

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

SALINE

County Base Map

(Records are Sorted by Township, Range, and Section)

LOG ID:
024439

WELL TYPE
WATER TEST WELL (HOLE)

DRILL DATE: 1966/09/19 TOWNSHIP 0 RANGE 0 SECTION LG2696 ELEVATION: 615FT
DRILL DEPTH: 40FT UTM X 508,541.45 UTM Y 4,340,140.47
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: CASTROP BROTHERS - RIVER PROFILE STUDY
S.W.L. (AFTER CASING): 17

LOG ID:
014778

WELL TYPE
Private Well

DRILL DATE: 1956/02/08 TOWNSHIP 0 RANGE 0 SECTION LG2787 ELEVATION: 711FT
DRILL DEPTH: 280FT UTM X 503,701.42 UTM Y 4,346,304.53
DEPTH TO BED: 80FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: 6.5 GPM @ 200'
S.W.L. (AFTER CASING):

LOG ID:
013275

WELL TYPE
Private Well

DRILL DATE: 1954/09/09 TOWNSHIP 0 RANGE 0 SECTION LG2787 ELEVATION: 687FT
DRILL DEPTH: 253FT UTM X 503,434.41 UTM Y 4,346,556.53
DEPTH TO BED: 95FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 4 MI NE OF GILLIAM ON HWY HWY PP - 15 GPM @ 200'
S.W.L. (AFTER CASING): 55

LOG ID:
022364

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1963/10/14 TOWNSHIP 48N RANGE 20W SECTION 11 ELEVATION: 796FT
DRILL DEPTH: 480FT UTM X 492,581.93 UTM Y 4,311,585.14
DEPTH TO BED: 25FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: JCT I-70 & HWY J; CONSIDERABLE CAVING 165'-TD
S.W.L. (AFTER CASING): 180



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**010348**WELL TYPE

Private Well

DRILL DATE: 1947/11/18TOWNSHIPRANGESECTIONELEVATION:

792FT

DRILL DEPTH: 120FT

48N

20W

11

DEPTH TO BED: 25FTUTM XUTM Y

492,581.93

4,311,585.14

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: "JUNCTION J"S.W.L. (AFTER CASING): 32**LOG ID:****006218**WELL TYPE

Private Well

DRILL DATE: 1940/06/15TOWNSHIPRANGESECTIONELEVATION:

781FT

DRILL DEPTH: 470FT

48N

20W

11

DEPTH TO BED: 5FTUTM XUTM Y

493,781.96

4,311,793.16

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: RIDGE PRAIRIES.W.L. (AFTER CASING): 130**LOG ID:****012737**WELL TYPE

Private Well

DRILL DATE: 1954//TOWNSHIPRANGESECTIONELEVATION:

759FT

DRILL DEPTH: 480FT

48N

20W

16

DEPTH TO BED: 50FTUTM XUTM Y

490,249.86

4,309,235.04

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 3 MI S OF HWY 40 ON HWY JS.W.L. (AFTER CASING):**LOG ID:****017030**WELL TYPE

Private Well

DRILL DATE: 1958/03/TOWNSHIPRANGESECTIONELEVATION:

792FT

DRILL DEPTH: 544FT

48N

20W

18

DEPTH TO BED: 20FTUTM XUTM Y

486,940.79

4,310,188.04

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: E OF JCT HWYS 40 & 765, S BY NEW SCHOOL 2 MI, 1 MI ES.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**010349**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1947/11/20	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	801FT
<u>DRILL DEPTH:</u>	86FT	48N	20W	2	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	55FT				492,639.94	4,312,869.19
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	formerly in name of J.H. Treece - YIELD QUESTIONED - MAY BE A			
<u>S.W.L. (AFTER CASING):</u>	25		BIT HIGH			

LOG ID:**023260**WELL TYPE

Private Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	
<u>DRILL DEPTH:</u>	410FT	48N	20W	4	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				490,135.88	4,312,512.15
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	POOR SAMPLES			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:**010340**WELL TYPE

Private Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	791FT
<u>DRILL DEPTH:</u>	180FT	48N	20W	5	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	40FT				488,902.86	4,313,944.19
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	5 MI E OF MARSHALL JUNCTION, PIPERTOWN			
<u>S.W.L. (AFTER CASING):</u>	50					

LOG ID:**006060**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1939/12/02	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	790FT
<u>DRILL DEPTH:</u>	175FT	48N	20W	5	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	40FT				488,902.85	4,312,750.15
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	4 MI E OF MARSHALL JUNCTION & HWY 40, 0.5 MI NE OF			
<u>S.W.L. (AFTER CASING):</u>	45		"PIPERTOWN"			



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**022369**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1963/10/23	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	806FT
<u>DRILL DEPTH:</u>	435FT	48N	20W	6	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	95FT				486,155.79	4,312,723.13
<u>S.W.L. (BEFORE CASING):</u>		FT				ZONE 15
<u>S.W.L. (AFTER CASING):</u>	180					

REMARKS:**LOG ID:****011762**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1950//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	802FT
<u>DRILL DEPTH:</u>	414FT	48N	20W	7	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	65FT				485,998.78	4,311,639.09
<u>S.W.L. (BEFORE CASING):</u>						ZONE 15
<u>S.W.L. (AFTER CASING):</u>						

REMARKS: 3.5 MI SE OF MARSHALL JUNCTION**LOG ID:****017026**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1957/12/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	803FT
<u>DRILL DEPTH:</u>	590FT	48N	20W	9	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	350FT				489,687.87	4,312,355.14
<u>S.W.L. (BEFORE CASING):</u>						ZONE 15
<u>S.W.L. (AFTER CASING):</u>						

REMARKS: NO SAMPLES ABOVE 350'**LOG ID:****007696**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1941/09/09	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	805FT
<u>DRILL DEPTH:</u>	450FT	48N	20W	9	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	130FT				489,687.87	4,312,139.14
<u>S.W.L. (BEFORE CASING):</u>		FT				ZONE 15
<u>S.W.L. (AFTER CASING):</u>	140					

REMARKS: 2 MI W OF RIDGE PRAIRIE ON HWY 40, ON HILLSIDE; OLD WELL TO 130'



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**011457**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1950/08/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	791FT
<u>DRILL DEPTH:</u>	485FT	48N	21W	10	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	40FT				482,525.70	4,312,177.08
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	130				<u>REMARKS:</u>	

LOG ID:**006989**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1941/03/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	788FT
<u>DRILL DEPTH:</u>	230FT	48N	21W	10	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	40FT				482,325.69	4,312,379.08
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	50				<u>REMARKS:</u>	

LOG ID:**004297**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1937/02/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	767FT
<u>DRILL DEPTH:</u>	407FT	48N	21W	10	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	250FT				481,525.68	4,312,581.08
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>					<u>REMARKS:</u> JCT HWYS 40 & 65	

LOG ID:**013049**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1954//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	820FT
<u>DRILL DEPTH:</u>	580FT	48N	21W	12	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	30FT				485,636.77	4,312,018.10
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>					<u>REMARKS:</u> 3 MI E OF MARSHALL JUCTION	



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**006156**WELL TYPE

Industrial High Capacity Well

<u>DRILL DATE:</u>	1940//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	792FT
<u>DRILL DEPTH:</u>	513FT	48N	21W	13	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				484,569.74	4,310,002.01
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	1 MI E, 1 MI S OF MARSHALL JUNCTION			
<u>S.W.L. (AFTER CASING):</u>	125					

LOG ID:**018415**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1959/07/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	800FT
<u>DRILL DEPTH:</u>	500FT	48N	21W	14	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	55FT				483,436.71	4,310,058.01
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	1.2 MI S OF HWY 40, 1 MI E OF HWY 65; SOME SAMPLES MAY BE MIXED			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:**022390**WELL TYPE

Industrial High Capacity Well

<u>DRILL DATE:</u>	1963/08/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	821FT
<u>DRILL DEPTH:</u>	654FT	48N	21W	15	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	75FT				482,148.69	4,310,549.01
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	0.5 MI S OF MARSHALL JUNCTION - POOR SAMPLES			
<u>S.W.L. (AFTER CASING):</u>	180					

LOG ID:**018829**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1959/12/14	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	785FT
<u>DRILL DEPTH:</u>	485FT	48N	21W	15	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	35FT				481,248.66	4,310,138.99
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	1.5 MI S OF MARSHALL JUNCTION @ 1ST CROSS-ROAD			
<u>S.W.L. (AFTER CASING):</u>	140					



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**021626**WELL TYPE

Private Well

DRILL DATE: 1963/02/TOWNSHIPRANGESECTIONELEVATION:

819FT

DRILL DEPTH: 586FT

48N

21W

15

DEPTH TO BED: 115FTUTM XUTM Y

482,148.69

4,310,549.01

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 1 MI S OF MARSHALL JCT ON HWY 65L SAMPLES 115-300 MIXEDS.W.L. (AFTER CASING):**LOG ID:****011588**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

758FT

DRILL DEPTH: 437FT

48N

21W

16

DEPTH TO BED: 85FTUTM XUTM Y

480,651.65

4,310,015.98

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 1 MI SW OF MARSHALL JUNCTIONS.W.L. (AFTER CASING):**LOG ID:****015293**WELL TYPE

Private Well

DRILL DATE: 1956//TOWNSHIPRANGESECTIONELEVATION:

775FT

DRILL DEPTH: 618FT

48N

21W

17

DEPTH TO BED: 75FTUTM XUTM Y

479,460.62

4,309,625.96

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****011049**WELL TYPE

Private Well

DRILL DATE: 1947/08/09TOWNSHIPRANGESECTIONELEVATION:

769FT

DRILL DEPTH: 252FT

48N

21W

17

DEPTH TO BED: 40FTUTM XUTM Y

479,260.62

4,309,841.96

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: @ HOUSTONIAS.W.L. (AFTER CASING): 25



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**011761**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1951//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	742FT
<u>DRILL DEPTH:</u>	483FT	48N	21W	3	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	80FT				482,402.70	4,312,968.10
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u> Viola School Church - JCT HWYS 40 & 65 @ MARSHALL JUNCTION				
<u>S.W.L. (AFTER CASING):</u>	100					

LOG ID:**007379**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1941//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	722FT
<u>DRILL DEPTH:</u>	500FT	48N	21W	5	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	150FT				478,126.60	4,313,689.10
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u> 10-11 MI E OF SURETT SPRINGS, N SD HWY 40				
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:**022210**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1963/08/03	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	729FT
<u>DRILL DEPTH:</u>	730FT	48N	21W	6	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	80FT				476,907.62	4,313,559.08
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u> 3 MI W OF MARSHALL JUNCTION ON I-70				
<u>S.W.L. (AFTER CASING):</u>	100					

LOG ID:**006530**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1940/11/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	710FT
<u>DRILL DEPTH:</u>	420FT	48N	21W	6	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	30FT				477,307.61	4,313,559.09
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>	30					



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
015988

WELL TYPE
Private Well

DRILL DATE: 1957/03/22 TOWNSHIP 48N RANGE 21W SECTION 7 ELEVATION: 728FT
DRILL DEPTH: 475FT UTM X 476,852.61 UTM Y 4,311,352.00
DEPTH TO BED: 40FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: RT 1, SWEET SPRI; FORMER OWNER ADA LEE BISHOP
S.W.L. (AFTER CASING): 60

LOG ID:
004204

WELL TYPE
Private Well

DRILL DATE: 1936/12/10 TOWNSHIP 48N RANGE 21W SECTION 8 ELEVATION: 747FT
DRILL DEPTH: 308FT UTM X 478,694.61 UTM Y 4,311,359.01
DEPTH TO BED: 30FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: 2 MI W OF HWY 65, 1.5 MI S OF HWY 40
S.W.L. (AFTER CASING):

LOG ID:
006147

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1940// TOWNSHIP 48N RANGE 21W SECTION 9 ELEVATION: 750FT
DRILL DEPTH: 411FT UTM X 480,347.65 UTM Y 4,311,260.02
DEPTH TO BED: 35FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 0.25 MI S OF MARSHALL JUNCTION, 1 MI W OF HWY 65
S.W.L. (AFTER CASING): 84

LOG ID:
007399

WELL TYPE
Private Well

DRILL DATE: 1941// TOWNSHIP 48N RANGE 22W SECTION 17 ELEVATION: 710FT
DRILL DEPTH: 150FT UTM X 469,809.69 UTM Y 4,310,445.92
DEPTH TO BED: 25FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: formerly in name of Dr. Hulsey - NO PRODUCTION OR
S.W.L. (AFTER CASING): CONSTRUCTION DATA



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**018823**WELL TYPE

Private Well

DRILL DATE: 1959/10/20TOWNSHIP RANGE SECTION

48N

22W

18

ELEVATION: 660FTDRILL DEPTH: 410FTUTM XUTM YDEPTH TO BED: 30FT

468,002.71 4,311,124.94

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 3 MI E OF SWEET SPRINGSS.W.L. (AFTER CASING):**LOG ID:****009637**WELL TYPE

Industrial High Capacity Well

DRILL DATE: 1946/10/25TOWNSHIP RANGE SECTION

48N

22W

4

ELEVATION: 734FTDRILL DEPTH: 470FTUTM XUTM YDEPTH TO BED: 70FT

470,763.68 4,314,623.09

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: formerly in name of Harry Wehrs - 4.5 MI E OF SWEET SPRINGSS.W.L. (AFTER CASING):**LOG ID:****010498**WELL TYPE

Private Well

DRILL DATE: 1948/06/07TOWNSHIP RANGE SECTION

48N

23W

10

ELEVATION: 665FTDRILL DEPTH: 229FTUTM XUTM YDEPTH TO BED: 30FT

462,264.77 4,312,587.96

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 1 MI W OF SWEET SPRINGSS.W.L. (AFTER CASING): 50**LOG ID:****000305**WELL TYPE

Community Public Well

DRILL DATE: 1902//TOWNSHIP RANGE SECTION

48N

23W

10

ELEVATION: 670FTDRILL DEPTH: 1,074FTUTM XUTM YDEPTH TO BED: 28FT

462,964.77 4,313,120.98

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: NO UNITS IDENTIFIED - NOT IN USE - VERY SALINES.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
011651

WELL TYPE
Private Well

DRILL DATE: 1951/08/ TOWNSHIP 48N RANGE 23W SECTION 11 ELEVATION: 680FT
DRILL DEPTH: 392FT UTM X 464,572.75 UTM Y 4,313,045.99
DEPTH TO BED: 20FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: 1 MI E OF SWEET SPRINGS
S.W.L. (AFTER CASING):

LOG ID:
023241

WELL TYPE
Private Well

DRILL DATE: TOWNSHIP 48N RANGE 23W SECTION 12 ELEVATION: 699FT
DRILL DEPTH: 400FT UTM X 466,674.73 UTM Y 4,312,059.96
DEPTH TO BED: 160FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: formerly in name of C.J. Volsmeir
S.W.L. (AFTER CASING):

LOG ID:
018491

WELL TYPE
Private Well

DRILL DATE: 1959/08/ TOWNSHIP 48N RANGE 23W SECTION 13 ELEVATION: 704FT
DRILL DEPTH: 417FT UTM X 465,397.74 UTM Y 4,311,426.93
DEPTH TO BED: 25FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 1.5 MI SE OF SWEET SPRINGS
S.W.L. (AFTER CASING): 45

LOG ID:
023226

WELL TYPE
Noncommunity Public Well

DRILL DATE: TOWNSHIP 48N RANGE 23W SECTION 2 ELEVATION: 693FT
DRILL DEPTH: 440FT UTM X 463,946.76 UTM Y 4,314,562.04
DEPTH TO BED: 80FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: NO PRODUCTION OR CONSTRUCTION DATA; NEAR SWEET
S.W.L. (AFTER CASING): SPRINGS ?



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**002290**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1930//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	721FT
<u>DRILL DEPTH:</u>	567FT	48N	23W	2	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	45FT				463,946.76	4,313,762.01
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	30	<u>REMARKS:</u>	ON N MILLER ST ABT 300' W OF WELL #2			

LOG ID:**002379**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1930/08/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	729FT
<u>DRILL DEPTH:</u>	570FT	48N	23W	2	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	75FT				463,946.76	4,313,762.01
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	ZONE 15			
<u>S.W.L. (AFTER CASING):</u>	40					

LOG ID:**014451**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1955//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	700FT
<u>DRILL DEPTH:</u>	405FT	48N	23W	3	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	65FT				463,548.76	4,314,131.02
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	ZONE 15			
<u>S.W.L. (AFTER CASING):</u>		NO PRODUCTION OR CONSTRUCTION DATA				

LOG ID:**008231**WELL TYPE

Industrial High Capacity Well

<u>DRILL DATE:</u>	1943/04/21	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	755FT
<u>DRILL DEPTH:</u>	610FT	48N	23W	6	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	40FT				457,273.83	4,313,816.97
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	ZONE 15			
<u>S.W.L. (AFTER CASING):</u>	70	@ EMMA				



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**011400**WELL TYPE

Industrial High Capacity Well

<u>DRILL DATE:</u>	1950//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	745FT
<u>DRILL DEPTH:</u>	750FT	48N	23W	7	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	155FT				457,314.83	4,313,535.96
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u> ABT 100 YDS S OF WELL #2 (#8231)				
<u>S.W.L. (AFTER CASING):</u>	77					

LOG ID:**012328**WELL TYPE

Dry Oil &/or Gas Well

<u>DRILL DATE:</u>	1953/06/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	704FT
<u>DRILL DEPTH:</u>	2,117FT	48N	23W	8	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	200FT				460,228.80	4,313,550.98
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u> #1 CHRIS HEAPER - DRY & ABANDONED				
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:**013288**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1954//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	767FT
<u>DRILL DEPTH:</u>	90FT	49N	19W	10	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	40FT				501,137.21	4,321,225.59
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u> "OLD DR. SAPPINGTON PLACE", 4 MI N OF BLACKWATER				
<u>S.W.L. (AFTER CASING):</u>	70					

LOG ID:**012982**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1954/07/23	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	655FT
<u>DRILL DEPTH:</u>	172FT	49N	19W	16	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					499,058.17	4,319,785.49
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u> 4 MI N OF BLACKWATER, ABT 5 MI S OF HARDEMAN ON HWY AA				
<u>S.W.L. (AFTER CASING):</u>	30					



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**006531**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1940/10/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	690FT
<u>DRILL DEPTH:</u>	617FT	49N	19W	18	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	60FT				496,419.09	4,319,433.45
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>	3 MI N OF NELSON			

LOG ID:**004413**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1937/09/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	610FT
<u>DRILL DEPTH:</u>	165FT	49N	19W	19	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	57FT				495,971.07	4,317,592.38
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>	LEAD PROSPECT; 500' E OF RR CROSSING, W SD HWY K			

LOG ID:**004395**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1937/08/24	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	607FT
<u>DRILL DEPTH:</u>	125FT	49N	19W	19	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	45FT				495,971.07	4,317,592.38
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>	N OF HWY K, W OF SALT FORK, E OF MO PAC RR; NO GALENA OR BARITE			

LOG ID:**006310**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1940/08/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	731FT
<u>DRILL DEPTH:</u>	268FT	49N	19W	2	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				503,016.25	4,323,139.72
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>	#2 = #6309L LONG 1 X 1.25 MI SECTION			

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**006309**WELL TYPE

Private Well

DRILL DATE: 1940/08/TOWNSHIPRANGESECTIONELEVATION:

684FT

DRILL DEPTH: 95FT

49N

19W

2

DEPTH TO BED:UTM XUTM Y

502,616.23

4,321,785.65

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: **WEAK FLOW OF WATER" - #1 = #6310S.W.L. (AFTER CASING):**LOG ID:****012980**WELL TYPE

Private Well

DRILL DATE: 1953/08/16TOWNSHIPRANGESECTIONELEVATION:

766FT

DRILL DEPTH: 257FT

49N

19W

3

DEPTH TO BED: 45FTUTM XUTM Y

501,983.22

4,321,420.62

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 4 MI W OF ARROWROCKS.W.L. (AFTER CASING): 76**LOG ID:****018176**WELL TYPE

Private Well

DRILL DATE: 1959/05/15TOWNSHIPRANGESECTIONELEVATION:DRILL DEPTH: 110FT

49N

20W

10

DEPTH TO BED: 70FTUTM XUTM Y

492,618.01

4,321,776.51

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 48**LOG ID:****014289**WELL TYPE

Private Well

DRILL DATE: 1955//TOWNSHIPRANGESECTIONELEVATION:

655FT

DRILL DEPTH: 140FT

49N

20W

11

DEPTH TO BED: 35FTUTM XUTM Y

493,752.04

4,321,924.52

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: NAPTONS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**010137**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1948/04/05	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	685FT
<u>DRILL DEPTH:</u>	405FT	49N	20W	14	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	35FT				493,586.02	4,319,878.45
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	35	<u>REMARKS:</u> 1 MI E, 0.25 MI S OF NAPTON JUNCTION				

LOG ID:**010133**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1948/04/12	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	724FT
<u>DRILL DEPTH:</u>	196FT	49N	20W	15	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				492,567.00	4,320,361.45
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	25	<u>REMARKS:</u>				

LOG ID:**003704**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1936/05/30	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	725FT
<u>DRILL DEPTH:</u>	407FT	49N	20W	15	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				491,966.98	4,319,535.42
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u> "#1 BILL SMITH"; 2 MI S OF NAPTON				

LOG ID:**019465**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1956/10/08	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	790FT
<u>DRILL DEPTH:</u>	575FT	49N	20W	17	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	60FT				488,331.88	4,319,248.38
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	100	<u>REMARKS:</u> 4 MI E OF HWY 65 NEAR HWY H; "180 GPM @ 250"				



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**005851**WELL TYPE

Private Well

DRILL DATE: 1939/12/14TOWNSHIP RANGE SECTION

49N

20W

18

ELEVATION: 767FTDRILL DEPTH: 566FTUTM X UTM YDEPTH TO BED: 30FT487,667.88 4,320,576.42
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: 10 MI SE OF MARSHALL ON NELSON RDS.W.L. (AFTER CASING): 105**LOG ID:****013759**WELL TYPE

Private Well

DRILL DATE: 1955//TOWNSHIP RANGE SECTION

49N

20W

2

ELEVATION: 670FTDRILL DEPTH: 205FTUTM X UTM YDEPTH TO BED:492,904.03 4,322,708.54
ZONE 15S.W.L. (BEFORE CASING):REMARKS: **NOT ENOUGH TO TEST"S.W.L. (AFTER CASING):**LOG ID:****016717**WELL TYPE

Private Well

DRILL DATE: 1957/09/31TOWNSHIP RANGE SECTION

49N

20W

20

ELEVATION: 755FTDRILL DEPTH: 425FTUTM X UTM YDEPTH TO BED: 25FT488,681.88 4,317,634.32
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: VERY POOR SAMPLES - DO NOT USE LOGS.W.L. (AFTER CASING): 107**LOG ID:****017785**WELL TYPE

Private Well

DRILL DATE: 1958/08/TOWNSHIP RANGE SECTION

49N

20W

29

ELEVATION: 759FTDRILL DEPTH: 440FTUTM X UTM YDEPTH TO BED: 20FT488,614.87 4,316,616.29
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: formerly in name of M.H. YeagleS.W.L. (AFTER CASING): 160



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**015048**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1956/05/28	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	689FT
<u>DRILL DEPTH:</u>	215FT	49N	20W	29	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				488,614.87	4,316,408.28
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	41	<u>REMARKS:</u>	3.5 MI E OF HWY 65, 2.5 MI S OF HWY H, 12 MI SE OF MARSHALL; OIL SHOW			

LOG ID:**021621**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1962/12/06	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	690FT
<u>DRILL DEPTH:</u>	332FT	49N	20W	3	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	35FT				491,491.99	4,322,384.52
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	1 MI W OF NAPTON			
<u>S.W.L. (AFTER CASING):</u>			ZONE 15			

LOG ID:**016395**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1957/06/26	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	667FT
<u>DRILL DEPTH:</u>	210FT	49N	20W	3	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	40FT				491,892.01	4,323,606.57
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	ZONE 15			
<u>S.W.L. (AFTER CASING):</u>	40					

LOG ID:**007360**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1941/08/17	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	645FT
<u>DRILL DEPTH:</u>	95FT	49N	20W	3	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	10FT				492,692.02	4,322,384.53
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	ZONE 15			
<u>S.W.L. (AFTER CASING):</u>	35					



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
010771

WELL TYPE
Outcrop Description

DRILL DATE: 1949/04/20 TOWNSHIP 49N RANGE 20W SECTION 31 ELEVATION: 659FT
DRILL DEPTH: 18FT UTM X 487,513.83 UTM Y 4,314,176.19
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): REMARKS: BLUFF ON S BANK SMALL STREAM, 150 YDS E OF LOW WATER
S.W.L. (AFTER CASING): BRIDGE

LOG ID:
010772

WELL TYPE
Outcrop Description

DRILL DATE: 1949/04/20 TOWNSHIP 49N RANGE 20W SECTION 32 ELEVATION: 673FT
DRILL DEPTH: 116FT UTM X 488,259.85 UTM Y 4,314,641.21
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): REMARKS: IN ABANDONED RD ALONG BLUFF OF BLACKWATER RIVER AT
S.W.L. (AFTER CASING): OLD BRIDGE

LOG ID:
010536

WELL TYPE
Private Well

DRILL DATE: 1948/07/28 TOWNSHIP 49N RANGE 20W SECTION 32 ELEVATION: 771FT
DRILL DEPTH: 240FT UTM X 488,259.85 UTM Y 4,314,641.21
DEPTH TO BED: 20FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 2 MI N OF PIPERTOWN
S.W.L. (AFTER CASING): 90

LOG ID:
007697

WELL TYPE
Private Well

DRILL DATE: 1941/07/31 TOWNSHIP 49N RANGE 20W SECTION 35 ELEVATION: 669FT
DRILL DEPTH: 344FT UTM X 493,874.98 UTM Y 4,314,137.24
DEPTH TO BED: 25FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: formerly in name of Miss Mary Biggs - 1.5 MI N OF RIDGE PRAIRIE, IN
S.W.L. (AFTER CASING): 30 VALLEY



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**021630**WELL TYPE

Private Well

DRILL DATE: 1962/12/21TOWNSHIPRANGESECTIONELEVATION:

719FT

DRILL DEPTH: 300FT

49N

20W

5

DEPTH TO BED: 40FTUTM XUTM Y

489,035.92

4,322,292.49

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: ABT 3 MI W OF NAPTONS.W.L. (AFTER CASING):**LOG ID:****011312**WELL TYPE

Private Well

DRILL DATE: 1947/10/14TOWNSHIPRANGESECTIONELEVATION:

695FT

DRILL DEPTH: 137FT

49N

20W

5

DEPTH TO BED: 35FTUTM XUTM Y

489,235.94

4,323,553.54

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 8.5 MI SE OF MARSHALL, NAPTONS.W.L. (AFTER CASING): 37**LOG ID:****006934**WELL TYPE

Private Well

DRILL DATE: 1941/06/06TOWNSHIPRANGESECTIONELEVATION:

715FT

DRILL DEPTH: 165FT

49N

20W

6

DEPTH TO BED: 30FTUTM XUTM Y

486,962.87

4,322,753.49

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****005059**WELL TYPE

Community Public Well

DRILL DATE: 1938/10/TOWNSHIPRANGESECTIONELEVATION:

710FT

DRILL DEPTH: 111FT

49N

20W

6

DEPTH TO BED: 20FTUTM XUTM Y

487,162.89

4,323,834.53

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 6 MI SE OF MARSHALLS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**018001**WELL TYPE

Noncommunity Public Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

707FT

DRILL DEPTH:

180FT

49N

20W

9

UTM XUTM YDEPTH TO BED:

20FT

489,713.93

4,320,615.44

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

HWY H, 6 MI SE OF MARSHALL (COULD BE CHAPEL, SMITH)

S.W.L. (AFTER CASING):**LOG ID:****023257**WELL TYPE

Private Well

DRILL DATE:

1964/08/14

TOWNSHIPRANGESECTIONELEVATION:

724FT

DRILL DEPTH:

520FT

49N

21W

1

UTM XUTM YDEPTH TO BED:

110FT

484,742.82

4,322,999.48

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

SOUTH OF MARSHALL; POOR SAMPLES; DON'T USE ABOVE 225'

S.W.L. (AFTER CASING):**LOG ID:****008202**WELL TYPE

Private Well

DRILL DATE:

1942//

TOWNSHIPRANGESECTIONELEVATION:

809FT

DRILL DEPTH:

405FT

49N

21W

10

UTM XUTM YDEPTH TO BED:

357FT

483,015.76

4,320,817.39

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:formerly in name of Mrs. C.T. Petry - old well deepened - 357-405 ft;
yield increased from 2 to 16 gpmS.W.L. (AFTER CASING):**LOG ID:****008192**WELL TYPE

Private Well

DRILL DATE:

1942/07/06

TOWNSHIPRANGESECTIONELEVATION:

794FT

DRILL DEPTH:

390FT

49N

21W

11

UTM XUTM YDEPTH TO BED:

10FT

483,167.76

4,320,992.40

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**005743**WELL TYPE

Private Well

DRILL DATE: 1939/08/25TOWNSHIP RANGE SECTIONELEVATION: 802FTDRILL DEPTH: 500FT

49N 21W 11

DEPTH TO BED: 75FTUTM X UTM Y
483,267.77 4,321,283.41
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: #1 WILL KING FARMS.W.L. (AFTER CASING): 122**LOG ID:****023256**WELL TYPE

Private Well

DRILL DATE: 1964/09/08TOWNSHIP RANGE SECTIONELEVATION: 769FTDRILL DEPTH: 520FT

49N 21W 12

DEPTH TO BED: 55FTUTM X UTM Y
484,704.80 4,321,269.42
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 140**LOG ID:****016929**WELL TYPE

Private Well

DRILL DATE: 1957/10/TOWNSHIP RANGE SECTIONELEVATION: 779FTDRILL DEPTH: 530FT

49N 21W 12

DEPTH TO BED: 125FTUTM X UTM Y
484,904.82 4,322,151.45
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: 5 MI S, 1 M I E OF MARSHALLS.W.L. (AFTER CASING): 125**LOG ID:****022329**WELL TYPE

Private Well

DRILL DATE: 1963/11/16TOWNSHIP RANGE SECTIONELEVATION: 799FTDRILL DEPTH: 510FT

49N 21W 13

DEPTH TO BED: 115FTUTM X UTM Y
485,148.80 4,320,016.38
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: 5.5 MI S OF MARSHALL, 1 MI E OF HWY 65S.W.L. (AFTER CASING): 210



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**004115**WELL TYPE

Private Well

DRILL DATE: 1936/12/07TOWNSHIPRANGESECTIONELEVATION:

775FT

DRILL DEPTH: 350FT

49N

21W

15

DEPTH TO BED: 65FTUTM XUTM Y

482,375.73

4,319,989.35

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 6 MI S OF MARSHALLS.W.L. (AFTER CASING): 100**LOG ID:****002815**WELL TYPE

Private Well

DRILL DATE: 1934/02/01TOWNSHIPRANGESECTIONELEVATION:

715FT

DRILL DEPTH: 150FT

49N

21W

17

DEPTH TO BED: 35FTUTM XUTM Y

478,952.64

4,319,421.31

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****027199**WELL TYPE

Private Well

DRILL DATE: 1972/01/17TOWNSHIPRANGESECTIONELEVATION:

760FT

DRILL DEPTH: 570FT

49N

21W

2

DEPTH TO BED: 125FTUTM XUTM Y

483,666.79

4,323,516.49

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****024462**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

801FT

DRILL DEPTH: 554FT

49N

21W

22

DEPTH TO BED: 220FTUTM XUTM Y

482,203.71

4,318,277.29

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**009810**WELL TYPE

Private Well

DRILL DATE: 1946/05/11TOWNSHIPRANGESECTIONELEVATION:

784FT

DRILL DEPTH: 320FT

49N

21W

22

DEPTH TO BED: 27FTUTM XUTM Y

482,903.73

4,318,378.30

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: formerly in name of Harry DarbyS.W.L. (AFTER CASING): 112**LOG ID:****022024**WELL TYPE

Private Well

DRILL DATE: 1963/07/01TOWNSHIPRANGESECTIONELEVATION:

810FT

DRILL DEPTH: 490FT

49N

21W

23

DEPTH TO BED: 120FTUTM XUTM Y

483,666.75

4,318,319.31

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 180**LOG ID:****009815**WELL TYPE

Private Well

DRILL DATE: 1945/10/04TOWNSHIPRANGESECTIONELEVATION:

712FT

DRILL DEPTH: 283FT

49N

21W

25

DEPTH TO BED: 10FTUTM XUTM Y

484,534.76

4,316,082.24

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: REDMAN (OWNER LIVES IN EVENSTON, IL)S.W.L. (AFTER CASING): 43**LOG ID:****009814**WELL TYPE

Private Well

DRILL DATE: 1946/03/19TOWNSHIPRANGESECTIONELEVATION:

787FT

DRILL DEPTH: 302FT

49N

21W

25

DEPTH TO BED: 35FTUTM XUTM Y

484,534.76

4,316,874.27

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 123



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
002816

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1934/02/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	690FT
<u>DRILL DEPTH:</u>	101FT	49N	21W	27	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	30FT				482,832.72	4,316,968.25
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	9 MI S OF MARSHALL, 0.5 MI N OF BLACKWATER CREEK; CAVED			
<u>S.W.L. (AFTER CASING):</u>			IN - ABANDONED			

LOG ID:
011175

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1949/10/25	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	791FT
<u>DRILL DEPTH:</u>	335FT	49N	21W	3	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	60FT				482,088.76	4,323,756.48
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	4.5 MI S OF MARSHALL - "FRESH WATER"			
<u>S.W.L. (AFTER CASING):</u>	80					

LOG ID:
023101

WELL TYPE
Noncommunity Public Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	754FT
<u>DRILL DEPTH:</u>	421FT	49N	21W	34	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	40FT				482,656.71	4,314,853.18
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	@ MARSHALL JUNCTION			
<u>S.W.L. (AFTER CASING):</u>	164					

LOG ID:
022385

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1963/11/07	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	759FT
<u>DRILL DEPTH:</u>	390FT	49N	21W	34	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	105FT				482,356.70	4,314,754.17
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	0.5 MI N OF MARSHALL JUNCTION ON HWY 65			
<u>S.W.L. (AFTER CASING):</u>						



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**013287**WELL TYPE

Private Well

DRILL DATE: 1954/10/03TOWNSHIPRANGESECTIONELEVATION:

743FT

DRILL DEPTH: 360FT

49N

21W

34

DEPTH TO BED: 40FTUTM XUTM Y

482,056.69

4,315,050.18

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:

9 MI S OF MARSHALL ON HWY 65; YIELD - 15 GPM @ 170' W/ 80'

S.W.L. (AFTER CASING): 80

DD

LOG ID:**024818**WELL TYPE

Private Well

DRILL DATE: 1965/07/03TOWNSHIPRANGESECTIONELEVATION:

791FT

DRILL DEPTH: 451FT

49N

21W

35

DEPTH TO BED: 45FTUTM XUTM Y

483,693.73

4,314,328.17

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****011308**WELL TYPE

Private Well

DRILL DATE: 1947/06/13TOWNSHIPRANGESECTIONELEVATION:

742FT

DRILL DEPTH: 180FT

49N

21W

4

DEPTH TO BED: 30FTUTM XUTM Y

481,433.73

4,322,570.43

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

5 MI S OF MARSHALL

S.W.L. (AFTER CASING):**LOG ID:****023244**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

732FT

DRILL DEPTH: 506FT

49N

21W

5

DEPTH TO BED: 110FTUTM XUTM Y

478,647.66

4,322,464.41

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

MARSHALL

S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**019471**WELL TYPE

Private Well

DRILL DATE: 1957/03/06TOWNSHIPRANGESECTIONELEVATION:

759FT

DRILL DEPTH: 435FT

49N

21W

5

DEPTH TO BED: 45FTUTM XUTM Y

478,647.66

4,323,318.43

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 5 MI SW OF MARSHALL; YIELD 12 GPM @ 250'S.W.L. (AFTER CASING): 75**LOG ID:****005550**WELL TYPE

Private Well

DRILL DATE: 1939/07/TOWNSHIPRANGESECTIONELEVATION:

764FT

DRILL DEPTH: 315FT

49N

21W

6

DEPTH TO BED: 45FTUTM XUTM Y

477,520.67

4,323,695.44

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 90**LOG ID:****021659**WELL TYPE

Private Well

DRILL DATE: 1963/02/TOWNSHIPRANGESECTIONELEVATION:

720FT

DRILL DEPTH: 400FT

49N

21W

8

DEPTH TO BED: 15FTUTM XUTM Y

479,516.68

4,322,296.41

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 6 MI S OF MARSHALLS.W.L. (AFTER CASING):**LOG ID:****023242**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

729FT

DRILL DEPTH: 449FT

49N

21W

9

DEPTH TO BED: 130FTUTM XUTM Y

481,100.71

4,321,639.40

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 40



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
021980

WELL TYPE
Private Well

DRILL DATE: 1963/03/15

TOWNSHIP RANGE SECTION
49N 21W 9

ELEVATION: 735FT

DRILL DEPTH: 324FT

UTM X UTM Y
481,500.73 4,322,221.42
ZONE 15

DEPTH TO BED: 35FT

S.W.L. (BEFORE CASING):

REMARKS: @ MARSHALL

S.W.L. (AFTER CASING):

LOG ID:
009813

WELL TYPE
Private Well

DRILL DATE: 1946/08/08

TOWNSHIP RANGE SECTION
49N 21W 9

ELEVATION: 758FT

DRILL DEPTH: 300FT

UTM X UTM Y
481,100.71 4,321,251.39
ZONE 15

DEPTH TO BED: 65FT

S.W.L. (BEFORE CASING): FT

REMARKS: #1 JOE KING

S.W.L. (AFTER CASING): 77

LOG ID:
009236

WELL TYPE
Private Well

DRILL DATE: 1946/06/

TOWNSHIP RANGE SECTION
49N 22W 1

ELEVATION: 715FT

DRILL DEPTH: 362FT

UTM X UTM Y
476,920.67 4,323,869.44
ZONE 15

DEPTH TO BED: 25FT

S.W.L. (BEFORE CASING):

REMARKS: 8 MI SW OF MARSHALL; NARROW 1 X 0.75 MI SECTION

S.W.L. (AFTER CASING):

LOG ID:
027432

WELL TYPE
Private Well

DRILL DATE: 1970/08/

TOWNSHIP RANGE SECTION
49N 22W 12

ELEVATION: 775FT

DRILL DEPTH: 525FT

UTM X UTM Y
476,013.67 4,322,123.37
ZONE 15

DEPTH TO BED: 105FT

S.W.L. (BEFORE CASING):

REMARKS: 9 MI SW OF MARSHALL

S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**016932**WELL TYPE

Private Well

DRILL DATE: 1957/12/03TOWNSHIPRANGESECTIONELEVATION:

762FT

DRILL DEPTH: 400FT

49N

22W

13

DEPTH TO BED: 20FTUTM XUTM Y

475,441.65

4,319,370.28

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 115**LOG ID:****005174**WELL TYPE

Private Well

DRILL DATE: 1938/12/TOWNSHIPRANGESECTIONELEVATION:

762FT

DRILL DEPTH: 285FT

49N

22W

13

DEPTH TO BED: 55FTUTM XUTM Y

476,641.64

4,319,370.29

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 6.5 MI NE OF SWEET SPRINGSS.W.L. (AFTER CASING):**LOG ID:****010347**WELL TYPE

Private Well

DRILL DATE: 1941/08/20TOWNSHIPRANGESECTIONELEVATION:

770FT

DRILL DEPTH: 62FT

49N

22W

15

DEPTH TO BED:UTM XUTM Y

472,043.69

4,319,956.28

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****010107**WELL TYPE

Private Well

DRILL DATE: 1947/08/17TOWNSHIPRANGESECTIONELEVATION:

760FT

DRILL DEPTH: 130FT

49N

22W

16

DEPTH TO BED: 55FTUTM XUTM Y

470,453.71

4,320,228.27

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 56



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**005426**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1939/04/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	789FT
<u>DRILL DEPTH:</u>	630FT	49N	22W	16	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	35FT				471,653.70	4,321,032.31
<u>S.W.L. (BEFORE CASING):</u>		FT				ZONE 15
<u>S.W.L. (AFTER CASING):</u>	135					
<u>REMARKS:</u>	1.5 MI N OF CRETCHER					

LOG ID:**010116**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1947/08/13	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	768FT
<u>DRILL DEPTH:</u>	100FT	49N	22W	17	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				469,454.72	4,320,305.27
<u>S.W.L. (BEFORE CASING):</u>		FT				ZONE 15
<u>S.W.L. (AFTER CASING):</u>	40					
<u>REMARKS:</u>						

LOG ID:**009958**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1947/03/25	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	772FT
<u>DRILL DEPTH:</u>	504FT	49N	22W	2	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					473,774.70	4,323,898.41
<u>S.W.L. (BEFORE CASING):</u>		FT				ZONE 15
<u>S.W.L. (AFTER CASING):</u>	130					
<u>REMARKS:</u>	21 GPM @ 350'					

LOG ID:**012179**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1952/05/16	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	744FT
<u>DRILL DEPTH:</u>	39FT	49N	22W	25	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					475,690.63	4,317,184.21
<u>S.W.L. (BEFORE CASING):</u>		FT				ZONE 15
<u>S.W.L. (AFTER CASING):</u>	27					
<u>REMARKS:</u>	2 MI W OF HERNDON					



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
018010

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1959//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	756FT
<u>DRILL DEPTH:</u>	596FT	49N	22W	26	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	55FT				474,867.65	4,317,672.22
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	45	<u>REMARKS:</u>	@ HERNDON. LINER 390-435'			

LOG ID:
012739

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1954//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	702FT
<u>DRILL DEPTH:</u>	440FT	49N	22W	27	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	175FT				473,174.67	4,317,636.21
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	100	<u>REMARKS:</u>	formerly in name of L.W. Van Dyke - 4 MI NE OF SWEET SPRINGS			

LOG ID:
017154

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1958/05/12	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	798FT
<u>DRILL DEPTH:</u>	490FT	49N	22W	9	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				470,639.72	4,322,233.34
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	155	<u>REMARKS:</u>	WATER HAS TRACES OF SALT			

LOG ID:
006009

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1940/05/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	754FT
<u>DRILL DEPTH:</u>	515FT	49N	23W	12	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	155FT				466,178.76	4,322,539.31
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	100	<u>REMARKS:</u>	N OF SWEET SPRINGS			



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**015308**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1956//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	775FT
<u>DRILL DEPTH:</u>	560FT	49N	23W	3	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	185FT				463,015.80	4,323,717.32
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	6 MI NWN OF SWEET SPRINGS; REPEATED SECTION - SAMPLES			
<u>S.W.L. (AFTER CASING):</u>			MIXED ??			

LOG ID:**011169**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1946/09/12	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	772FT
<u>DRILL DEPTH:</u>	570FT	49N	23W	3	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				463,915.79	4,324,635.35
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	7 MI N OF SWEET SPRINGS			
<u>S.W.L. (AFTER CASING):</u>	110					

LOG ID:**020277**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1961//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	805FT
<u>DRILL DEPTH:</u>	584FT	49N	23W	4	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	30FT				461,987.81	4,324,411.33
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	#0-1(7) - POOR SAMPLES, USE WITH CAUTION			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:**024425**WELL TYPE

Private Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	605FT
<u>DRILL DEPTH:</u>	35FT	50N	18W	15	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					505,971.36	4,332,322.13
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	BONSMAN FARM - RIVER PROFILE STUDY			
<u>S.W.L. (AFTER CASING):</u>	20					



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**000481**WELL TYPE

Private Well

DRILL DATE: 1906/09/27TOWNSHIPRANGESECTIONELEVATION:

720FT

DRILL DEPTH: 120FT

50N

19W

14

DEPTH TO BED: 115FTUTM XUTM Y

503,464.30

4,329,430.96

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: ARROW ROCK - ONE SAMPLE LOGGEDS.W.L. (AFTER CASING):**LOG ID:****012129**WELL TYPE

Private Well

DRILL DATE: 1952/01/08TOWNSHIPRANGESECTIONELEVATION:

782FT

DRILL DEPTH: 463FT

50N

19W

17

DEPTH TO BED: 275FTUTM XUTM Y

498,157.22

4,329,982.86

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: S.5 MI NW OF HARDIMAN; OLD WELL (1914) DEEPENED 271-463'S.W.L. (AFTER CASING): 90**LOG ID:****022382**WELL TYPE

Private Well

DRILL DATE: 1963/09/18TOWNSHIPRANGESECTIONELEVATION:

757FT

DRILL DEPTH: 305FT

50N

19W

20

DEPTH TO BED: 125FTUTM XUTM Y

498,903.22

4,326,814.75

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: WELL BEHIND NEW SCHOOL AT HARDIMAN - SAMPLES MIXEDS.W.L. (AFTER CASING):**LOG ID:****005833**WELL TYPE

Private Well

DRILL DATE: 1940/01/TOWNSHIPRANGESECTIONELEVATION:

770FT

DRILL DEPTH: 385FT

50N

19W

20

DEPTH TO BED: 80FTUTM XUTM Y

498,903.23

4,328,240.80

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: YIELDS - 6 GPM @ 175', 12 GPM @ 200'S.W.L. (AFTER CASING): 130



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**005740**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1939/08/26	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	760FT
<u>DRILL DEPTH:</u>	296FT	50N	19W	20	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	90FT				498,903.22	4,326,924.75
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	98					

REMARKS:**LOG ID:****014783**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1955/09/06	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	755FT
<u>DRILL DEPTH:</u>	161FT	50N	19W	22	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				501,415.26	4,327,189.82
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	67					

REMARKS: 2.5 MI N OF ARROW ROCK**LOG ID:****002692**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1933/01/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	719FT
<u>DRILL DEPTH:</u>	275FT	50N	19W	22	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	100FT				501,515.27	4,327,497.83
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>						

REMARKS: 3 MI NW OF ARROW ROCK**LOG ID:****014784**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1955/03/24	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	737FT
<u>DRILL DEPTH:</u>	195FT	50N	19W	26	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	35FT				503,385.27	4,325,883.83
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	52					

REMARKS: 0.5 MI NW OF ARROW ROCK

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**012978**WELL TYPE

Private Well

DRILL DATE: 1954//TOWNSHIPRANGESECTIONELEVATION:

787FT

DRILL DEPTH: 115FT

50N

19W

27

DEPTH TO BED: 70FTUTM XUTM Y

501,199.26

4,326,327.78

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 3 MI W OF ARROW ROCK ON HWY 41S.W.L. (AFTER CASING):**LOG ID:****014785**WELL TYPE

Private Well

DRILL DATE: 1955/10/08TOWNSHIPRANGESECTIONELEVATION:

779FT

DRILL DEPTH: 86FT

50N

19W

27

DEPTH TO BED:UTM XUTM Y

501,599.26

4,326,429.79

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 2.5 MI W OF ARROW ROCK ON HWY 41S.W.L. (AFTER CASING): 64**LOG ID:****012128**WELL TYPE

Private Well

DRILL DATE: 1951/11/15TOWNSHIPRANGESECTIONELEVATION:

761FT

DRILL DEPTH: 75FT

50N

19W

27

DEPTH TO BED: 40FTUTM XUTM Y

501,799.26

4,325,711.77

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 13 MI E OF MARSHALL ON HWY 41S.W.L. (AFTER CASING):**LOG ID:****022384**WELL TYPE

Private Well

DRILL DATE: 1963/08/15TOWNSHIPRANGESECTIONELEVATION:

762FT

DRILL DEPTH: 315FT

50N

19W

3

DEPTH TO BED: 95FTUTM XUTM Y

502,154.32

4,332,435.03

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
018797

WELL TYPE
Private Well

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 730FT
50N 19W 31

DRILL DEPTH: 85FT UTM X UTM Y
496,457.14 4,324,705.65

DEPTH TO BED: ZONE 15

S.W.L. (BEFORE CASING): REMARKS: NARROW 0.75 X 1 MI SECTION - ONE SAMPLE LOGGED

S.W.L. (AFTER CASING):

LOG ID:
025690

WELL TYPE
Community Public Well

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 722FT
50N 19W 35

DRILL DEPTH: 210FT UTM X UTM Y
503,745.27 4,324,385.78

DEPTH TO BED: 35FT ZONE 15

S.W.L. (BEFORE CASING): REMARKS: see also #26958; formerly in name of Missouri State Park Board Well #3

S.W.L. (AFTER CASING): at Arrow Rock State Park

LOG ID:
026958

WELL TYPE
Community Public Well

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 722FT
50N 19W 35

DRILL DEPTH: 210FT UTM X UTM Y
503,745.27 4,324,385.78

DEPTH TO BED: 35FT ZONE 15

S.W.L. (BEFORE CASING): REMARKS: see also #26958; formerly in name of Missouri State Park Board Well #3

S.W.L. (AFTER CASING): at Arrow Rock State Park

LOG ID:
022377

WELL TYPE
Private Well

DRILL DATE: 1963/10/04 TOWNSHIP RANGE SECTION ELEVATION: 737FT
50N 19W 36

DRILL DEPTH: 211FT UTM X UTM Y
504,116.27 4,324,226.79

DEPTH TO BED: 95FT ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS:

S.W.L. (AFTER CASING): 90



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**022386**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1963/07/22	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	721FT
<u>DRILL DEPTH:</u>	230FT	50N	19W	36	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				504,061.27	4,324,495.80
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	IN ARROW ROCK, TAYLOR & J. TURLEY WILLIAMS, OWNERS			
<u>S.W.L. (AFTER CASING):</u>	90					

LOG ID:**012983**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1954/03/17	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	704FT
<u>DRILL DEPTH:</u>	163FT	50N	19W	36	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	40FT				504,440.27	4,324,346.80
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	IN ARROW ROCK			
<u>S.W.L. (AFTER CASING):</u>	78					

LOG ID:**015295**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1956/03/10	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	723FT
<u>DRILL DEPTH:</u>	214FT	50N	19W	36	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	35FT				504,340.27	4,324,098.79
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:**022379**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1963/07/27	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	740FT
<u>DRILL DEPTH:</u>	325FT	50N	19W	4	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	55FT				499,948.29	4,332,496.97
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	W OF SALINE CITY, JOHN BLUMHORST, PASTOR			
<u>S.W.L. (AFTER CASING):</u>	110					



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**016765**WELL TYPE

Private Well

DRILL DATE: 1957// TOWNSHIP 50N RANGE 19W SECTION 4 ELEVATION: 722FT
DRILL DEPTH: 44FT UTM X 500,648.30 UTM Y 4,332,589.99
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 27

LOG ID:**012924**WELL TYPE

Private Well

DRILL DATE: 1954// TOWNSHIP 50N RANGE 19W SECTION 8 ELEVATION: 746FT
DRILL DEPTH: 69FT UTM X 499,084.25 UTM Y 4,330,145.87
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 33

LOG ID:**004117**WELL TYPE

Private Well

DRILL DATE: 1936/09/25 TOWNSHIP 50N RANGE 19W SECTION 8 ELEVATION: 728FT
DRILL DEPTH: 265FT UTM X 499,084.25 UTM Y 4,330,145.87
DEPTH TO BED: 100FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 2 MI N OF HARDEMAN
S.W.L. (AFTER CASING): 20

LOG ID:**011313**WELL TYPE

Private Well

DRILL DATE: 1947/04/11 TOWNSHIP 50N RANGE 20W SECTION 10 ELEVATION: 770FT
DRILL DEPTH: 200FT UTM X 492,951.09 UTM Y 4,330,525.82
DEPTH TO BED: 25FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: YIELD - 10 GPM @ 180-200'
S.W.L. (AFTER CASING): 18



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**004048**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1936//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	815FT
<u>DRILL DEPTH:</u>	136FT	50N	20W	11	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	45FT				494,479.14	4,331,208.86
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	40	<u>REMARKS:</u>	"FRESH WATER"			

LOG ID:**009811**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1946/12/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	776FT
<u>DRILL DEPTH:</u>	100FT	50N	20W	14	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				494,118.12	4,330,069.82
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>	20					

LOG ID:**003707**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1936/08/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	750FT
<u>DRILL DEPTH:</u>	313FT	50N	20W	14	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	210FT				494,118.11	4,329,009.78
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>	80					

LOG ID:**012130**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1950/05/09	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	732FT
<u>DRILL DEPTH:</u>	175FT	50N	20W	15	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	80FT				492,301.07	4,329,709.79
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	5-6 MI E OF MARSHALL ON HWY 41			
<u>S.W.L. (AFTER CASING):</u>	61					



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**004819**WELL TYPE

Private Well

DRILL DATE: 1938/05/TOWNSHIPRANGESECTIONELEVATION:

723FT

DRILL DEPTH: 76FT

50N

20W

16

DEPTH TO BED:UTM XUTM Y

489,855.00

4,328,718.73

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: ONE SAMPLE LOGGEDS.W.L. (AFTER CASING): 39**LOG ID:****010134**WELL TYPE

Private Well

DRILL DATE: 1948/02/05TOWNSHIPRANGESECTIONELEVATION:

746FT

DRILL DEPTH: 90FT

50N

20W

18

DEPTH TO BED:UTM XUTM Y

487,343.94

4,329,040.71

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 88**LOG ID:****012984**WELL TYPE

Private Well

DRILL DATE: 1952/02/25TOWNSHIPRANGESECTIONELEVATION:

710FT

DRILL DEPTH: 126FT

50N

20W

19

DEPTH TO BED: 60FTUTM XUTM Y

487,295.93

4,328,079.68

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 2 MI SE OF MARSHALL - ABANDONED & FILLEDS.W.L. (AFTER CASING):**LOG ID:****012431**WELL TYPE

Private Well

DRILL DATE: 1953/06/03TOWNSHIPRANGESECTIONELEVATION:

819FT

DRILL DEPTH: 226FT

50N

20W

2

DEPTH TO BED: 65FTUTM XUTM Y

494,626.16

4,333,101.93

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 7 MI NE OF MARSHALL - FRESH WATER - *YIELDS 5.5-7.5 GPMS.W.L. (AFTER CASING): 80



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**012127**WELL TYPE

Private Well

DRILL DATE: 1951/08/25TOWNSHIP RANGE SECTION

50N

20W

20

ELEVATION: 711FTDRILL DEPTH: 120FTUTM XUTM YDEPTH TO BED:

488,156.94

4,327,175.66

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 4 MI SE OF MARSHALLS.W.L. (AFTER CASING): 47**LOG ID:****010923**WELL TYPE

Private Well

DRILL DATE: 1949/06/25TOWNSHIP RANGE SECTION

50N

20W

23

ELEVATION: 742FTDRILL DEPTH: 260FTUTM XUTM YDEPTH TO BED: 215FT

494,059.11

4,328,410.76

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: YIELD - 25 GPM @ 180'S.W.L. (AFTER CASING): 87**LOG ID:****011303**WELL TYPE

Private Well

DRILL DATE: 1947/11/17TOWNSHIP RANGE SECTION

50N

20W

29

ELEVATION: 701FTDRILL DEPTH: 230FTUTM XUTM YDEPTH TO BED: 53FT

488,919.95

4,326,184.63

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****022375**WELL TYPE

Private Well

DRILL DATE: 1963/06/13TOWNSHIP RANGE SECTION

50N

20W

3

ELEVATION: 790FTDRILL DEPTH: 207FTUTM XUTM YDEPTH TO BED: 80FT

492,201.09

4,332,168.87

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: formerly in name of Henry Busse - HALF WAY BETWEEN SLATER & MARSHALL ON HWY 240S.W.L. (AFTER CASING): 50



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**019888**WELL TYPE

Private Well

DRILL DATE: 1961/03/04TOWNSHIPRANGESECTIONELEVATION:

785FT

DRILL DEPTH: 220FT

50N

20W

3

DEPTH TO BED: 55FTUTM XUTM Y

492,501.10

4,332,168.88

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 6 MI S OF SLATER ON HWY 240S.W.L. (AFTER CASING): 50**LOG ID:****018011**WELL TYPE

Private Well

DRILL DATE: 1959//TOWNSHIPRANGESECTIONELEVATION:

701FT

DRILL DEPTH: 260FT

50N

20W

30

DEPTH TO BED: 25FTUTM XUTM Y

486,463.89

4,325,809.59

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****008181**WELL TYPE

Private Well

DRILL DATE: 1942//TOWNSHIPRANGESECTIONELEVATION:

697FT

DRILL DEPTH: 300FT

50N

20W

30

DEPTH TO BED: 30FTUTM XUTM Y

486,863.90

4,326,132.61

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 6 MI SE OF MARSHALLS.W.L. (AFTER CASING):**LOG ID:****018009**WELL TYPE

Private Well

DRILL DATE: 1959//TOWNSHIPRANGESECTIONELEVATION:

704FT

DRILL DEPTH: 410FT

50N

20W

31

DEPTH TO BED: 60FTUTM XUTM Y

486,604.89

4,325,456.58

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: POOR SAMPLES 0-75'S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**026986**WELL TYPE

Private Well

DRILL DATE: 1969/05/06TOWNSHIPRANGESECTIONELEVATION:

715FT

DRILL DEPTH: 85FT

50N

20W

36

DEPTH TO BED: 82FTUTM XUTM Y

496,012.12

4,324,036.62

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 2 MI SE OF MARSHALLS.W.L. (AFTER CASING): 21**LOG ID:****015585**WELL TYPE

Private Well

DRILL DATE: 1956/09/23TOWNSHIPRANGESECTIONELEVATION:

724FT

DRILL DEPTH: 77FT

50N

20W

6

DEPTH TO BED:UTM XUTM Y

486,743.95

4,332,196.82

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: formerly in name of Wilbur CookS.W.L. (AFTER CASING): 68**LOG ID:****027066**WELL TYPE

Private Well

DRILL DATE: 1969/03/29TOWNSHIPRANGESECTIONELEVATION:

750FT

DRILL DEPTH: 135FT

50N

20W

7

DEPTH TO BED:UTM XUTM Y

486,801.94

4,331,171.78

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: ACROSS FROM RACETRACK E OF MARSHALLS.W.L. (AFTER CASING):**LOG ID:****015638**WELL TYPE

Private Well

DRILL DATE: 1956/12/05TOWNSHIPRANGESECTIONELEVATION:

754FT

DRILL DEPTH: 115FT

50N

20W

7

DEPTH TO BED:UTM XUTM Y

486,801.94

4,330,947.77

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 1 MI E OF MARSHALL ON HWY 41S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**015644**WELL TYPE

Private Well

DRILL DATE: 1956// TOWNSHIP 50N RANGE 20W SECTION 7 ELEVATION: 754FT
DRILL DEPTH: 110FT UTM X 486,801.94 UTM Y 4,330,947.77
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): REMARKS: NO WATER
S.W.L. (AFTER CASING):

LOG ID:**012410**WELL TYPE

Private Well

DRILL DATE: 1953/04/21 TOWNSHIP 50N RANGE 20W SECTION 8 ELEVATION: 749FT
DRILL DEPTH: 135FT UTM X 488,354.98 UTM Y 4,331,011.79
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 1 MI W OF ARROW JCT ON HWY 24 - 2.5 IN TUBULAR WELL
S.W.L. (AFTER CASING): 120

LOG ID:**004233**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1937// TOWNSHIP 50N RANGE 20W SECTION 8 ELEVATION: 740FT
DRILL DEPTH: 119FT UTM X 488,654.99 UTM Y 4,331,751.82
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): REMARKS: NO PRODUCTION OR CONSTRUCTION DATA - 1 SAMPLE LOGGED
S.W.L. (AFTER CASING):

LOG ID:**012882**WELL TYPE

Private Well

DRILL DATE: 1954/07/22 TOWNSHIP 50N RANGE 20W SECTION 9 ELEVATION: 753FT
DRILL DEPTH: 126FT UTM X 490,105.02 UTM Y 4,331,009.81
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 0.25 MI N OF JCT HWYS 41 & 240; 150' FROM #1 (#12881)
S.W.L. (AFTER CASING): 96



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
012881

WELL TYPE
Private Well

DRILL DATE: 1954/05/20 TOWNSHIP 50N RANGE 20W SECTION 9 ELEVATION: 756FT
DRILL DEPTH: 135FT UTM X 489,905.02 UTM Y 4,330,793.80
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): REMARKS: 0.25 MI N OF ARROW ROCK - SLATER; DRY (SEE #12882, WELL #2)
S.W.L. (AFTER CASING):

LOG ID:
016381

WELL TYPE
Private Well

DRILL DATE: 1957/06/15 TOWNSHIP 50N RANGE 21W SECTION 1 ELEVATION: 708FT
DRILL DEPTH: 400FT UTM X 485,375.91 UTM Y 4,332,725.82
DEPTH TO BED: 60FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: ABT 3 MI NE OF MARSHALL
S.W.L. (AFTER CASING): 64

LOG ID:
023258

WELL TYPE
Industrial High Capacity Well

DRILL DATE: TOWNSHIP 50N RANGE 21W SECTION 10 ELEVATION: 747FT
DRILL DEPTH: 501FT UTM X 483,012.85 UTM Y 4,331,862.76
DEPTH TO BED: 210FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: "WILBUR DONNELL J. & H. CARP LAKE"
S.W.L. (AFTER CASING):

LOG ID:
010132

WELL TYPE
Industrial High Capacity Well

DRILL DATE: 1948/05/12 TOWNSHIP 50N RANGE 21W SECTION 10 ELEVATION: 779FT
DRILL DEPTH: 130FT UTM X 482,912.83 UTM Y 4,330,551.72
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 107



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**011799**WELL TYPE

WATER TEST WELL (HOLE)

<u>DRILL DATE:</u>	1951/05/25	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	746FT
<u>DRILL DEPTH:</u>	94FT	50N	21W	11	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	94FT				484,193.87	4,331,116.75
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	ON LAWN S OF A. HAL DIRECTLY IN FRONT OF OAKS HALL			
<u>S.W.L. (AFTER CASING):</u>	80					

LOG ID:**011807**WELL TYPE

WATER TEST WELL (HOLE)

<u>DRILL DATE:</u>	1951/06/13	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	752FT
<u>DRILL DEPTH:</u>	103FT	50N	21W	11	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					484,093.87	4,331,116.75
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	S OF GATE, N OF #7			
<u>S.W.L. (AFTER CASING):</u>	84					

LOG ID:**007359**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1941//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	755FT
<u>DRILL DEPTH:</u>	102FT	50N	21W	11	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					483,993.87	4,331,217.75
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	@ MARSHALL			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:**011927**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1951/08/02	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	754FT
<u>DRILL DEPTH:</u>	93FT	50N	21W	11	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					484,093.87	4,331,116.75
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	1 MI NE OF MARSHALL - 1' SAMPLES			
<u>S.W.L. (AFTER CASING):</u>	76					



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**011800**WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE: 1951/06/ TOWNSHIP 50N RANGE 21W SECTION 11 ELEVATION: 720FT
DRILL DEPTH: 80FT UTM X 484,193.87 UTM Y 4,331,116.75
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):

LOG ID:**011798**WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE: 1951/05/ TOWNSHIP 50N RANGE 21W SECTION 11 ELEVATION: 736FT
DRILL DEPTH: 90FT UTM X 484,093.87 UTM Y 4,331,116.75
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: WEST OF PALS B;DG
S.W.L. (AFTER CASING): 72

LOG ID:**011797**WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE: 1951/05/ TOWNSHIP 50N RANGE 21W SECTION 11 ELEVATION: 751FT
DRILL DEPTH: 100FT UTM X 484,093.87 UTM Y 4,331,318.76
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 84

LOG ID:**011796**WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE: 1951/05/ TOWNSHIP 50N RANGE 21W SECTION 11 ELEVATION: 730FT
DRILL DEPTH: 95FT UTM X 484,693.88 UTM Y 4,331,116.76
DEPTH TO BED: 87FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: 1 MI NE OF MARSHALL, S OF DAIRY BARN
S.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
011795

WELL TYPE
WATER TEST WELL (HOLE)

DRILL DATE: 1951/05/ TOWNSHIP 50N RANGE 21W SECTION 11 ELEVATION: 749FT
DRILL DEPTH: 97FT UTM X 484,093.87 UTM Y 4,331,318.76
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): REMARKS: IN CENTER LAWN
S.W.L. (AFTER CASING):

LOG ID:
011801

WELL TYPE
WATER TEST WELL (HOLE)

DRILL DATE: 1951/06/ TOWNSHIP 50N RANGE 21W SECTION 11 ELEVATION: 749FT
DRILL DEPTH: 101FT UTM X 484,093.87 UTM Y 4,331,116.75
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 82

LOG ID:
011928

WELL TYPE
Community Public Well

DRILL DATE: 1951/10/ TOWNSHIP 50N RANGE 21W SECTION 11 ELEVATION: 751FT
DRILL DEPTH: 102FT UTM X 484,093.87 UTM Y 4,331,116.75
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: COOK SILICON BRONSE STRAINER
S.W.L. (AFTER CASING): 84

LOG ID:
005634

WELL TYPE
Community Public Well

DRILL DATE: 1939// TOWNSHIP 50N RANGE 21W SECTION 11 ELEVATION: 730FT
DRILL DEPTH: 98FT UTM X 484,293.87 UTM Y 4,331,116.75
DEPTH TO BED: 98FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: SE OF OAKS BUILDING
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**003495**WELL TYPE

Community Public Well

DRILL DATE: 1935/11/TOWNSHIPRANGESECTIONELEVATION:

692FT

DRILL DEPTH: 83FT

50N

21W

11

UTM XUTM YDEPTH TO BED:

484,493.88

4,331,318.76

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****005635**WELL TYPE

Community Public Well

DRILL DATE: 1939/08/TOWNSHIPRANGESECTIONELEVATION:

748FT

DRILL DEPTH: 108FT

50N

21W

11

UTM XUTM YDEPTH TO BED: 101FT

484,093.87

4,331,116.75

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: @ MARSHALLS.W.L. (AFTER CASING):**LOG ID:****005816**WELL TYPE

Community Public Well

DRILL DATE: 1939/05/TOWNSHIPRANGESECTIONELEVATION:

737FT

DRILL DEPTH: 1,785FT

50N

21W

11

UTM XUTM YDEPTH TO BED: 75FT

484,093.87

4,331,318.76

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: @ MARSHALLS.W.L. (AFTER CASING):**LOG ID:****006050**WELL TYPE

Community Public Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

755FT

DRILL DEPTH: 99FT

50N

21W

11

UTM XUTM YDEPTH TO BED:

483,993.87

4,331,217.75

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
024744

WELL TYPE
Private Well

DRILL DATE: 1966/09/ TOWNSHIP 50N RANGE 21W SECTION 12 ELEVATION: 737FT
DRILL DEPTH: 124FT UTM X 486,341.92 UTM Y 4,330,911.77
DEPTH TO BED: 115FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: TWO HOLES, ONE 92 & ONE 124' DEEP
S.W.L. (AFTER CASING):

LOG ID:
015583

WELL TYPE
Private Well

DRILL DATE: 1956// TOWNSHIP 50N RANGE 21W SECTION 13 ELEVATION: 747FT
DRILL DEPTH: 100FT UTM X 486,288.91 UTM Y 4,329,707.72
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): REMARKS: "SAND TOO DIRTY TO MAKE A WELL"
S.W.L. (AFTER CASING):

LOG ID:
005725

WELL TYPE
Private Well

DRILL DATE: 1939/10/ TOWNSHIP 50N RANGE 21W SECTION 13 ELEVATION: 746FT
DRILL DEPTH: 123FT UTM X 485,688.89 UTM Y 4,328,887.69
DEPTH TO BED: 90FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 90

LOG ID:
006308

WELL TYPE
Community Public Well

DRILL DATE: 1940// TOWNSHIP 50N RANGE 21W SECTION 15 ELEVATION: 770FT
DRILL DEPTH: 125FT UTM X 482,067.80 UTM Y 4,329,534.68
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): REMARKS: #2 HINTON FARM, 60' S OF WELL #1
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**005924**WELL TYPE

Community Public Well

DRILL DATE: 1940/03/15TOWNSHIPRANGESECTIONELEVATION:

770FT

DRILL DEPTH: 133FT

50N

21W

15

DEPTH TO BED:UTM XUTM Y

482,067.80

4,329,534.68

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #1 WILLIAM HINTON - ABANDONED - CASING PULLEDS.W.L. (AFTER CASING):**LOG ID:****003469**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1935/09/25TOWNSHIPRANGESECTIONELEVATION:

752FT

DRILL DEPTH: 260FT

50N

21W

17

DEPTH TO BED: 110FTUTM XUTM Y

478,486.71

4,329,501.64

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: "FRESH WATER"S.W.L. (AFTER CASING): 70**LOG ID:****004034**WELL TYPE

Private Well

DRILL DATE: 1936/12/TOWNSHIPRANGESECTIONELEVATION:

756FT

DRILL DEPTH: 373FT

50N

21W

2

DEPTH TO BED: 95FTUTM XUTM Y

484,751.89

4,332,105.79

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 0.5 MI N OF STATE SCHOOL, IN MARSHALLS.W.L. (AFTER CASING): 140**LOG ID:****014782**WELL TYPE

Private Well

DRILL DATE: 1955/07/16TOWNSHIPRANGESECTIONELEVATION:

758FT

DRILL DEPTH: 215FT

50N

21W

23

DEPTH TO BED: 85FTUTM XUTM Y

483,221.81

4,327,291.61

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 1.5 MI S OF MARSHALL ON HWY 65S.W.L. (AFTER CASING): 83



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
018759

WELL TYPE
Private Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	732FT
<u>DRILL DEPTH:</u>	405FT	50N	21W	24	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	45FT				485,434.87	4,327,684.65
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	65	<u>REMARKS:</u> 1.5 MI S, 1.5 MI E OF MARSHALL				

LOG ID:
012520

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1953/04/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	725FT
<u>DRILL DEPTH:</u>	220FT	50N	21W	24	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	45FT				486,034.90	4,328,504.68
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	57	<u>REMARKS:</u> 2 MI SE OF MARSHALL				

LOG ID:
006191

WELL TYPE
Private Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	708FT
<u>DRILL DEPTH:</u>	225FT	50N	21W	24	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				484,934.86	4,327,786.64
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u> #1 McCOY				

LOG ID:
013977

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1955//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	739FT
<u>DRILL DEPTH:</u>	205FT	50N	21W	25	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	70FT				485,794.88	4,326,686.62
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u> MAY BE MISS-LOCATED				

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
013046

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1954/08/29	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	769FT
<u>DRILL DEPTH:</u>	449FT	50N	21W	26	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	105FT				483,177.81	4,327,093.60
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	1 MI S OF MARSHALL			
<u>S.W.L. (AFTER CASING):</u>	120				ZONE 15	

LOG ID:
010558

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1948/10/05	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	768FT
<u>DRILL DEPTH:</u>	463FT	50N	21W	26	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	100FT				483,377.80	4,325,677.56
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	2 MI S OF MARSHALL ON HWY 65; YIELD - 5 GPM @ 280'			
<u>S.W.L. (AFTER CASING):</u>	105				ZONE 15	

LOG ID:
010557

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1948/12/14	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	772FT
<u>DRILL DEPTH:</u>	450FT	50N	21W	26	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	179FT				483,377.80	4,325,677.56
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	OLD WELL DEEPEMED; 2 MI S OF MARSHALL ON HWY 65 (SEE #10558 - #2)			
<u>S.W.L. (AFTER CASING):</u>	115				ZONE 15	

LOG ID:
011307

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1947/05/30	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	768FT
<u>DRILL DEPTH:</u>	187FT	50N	21W	26	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	90FT				483,177.80	4,325,677.56
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>	114				ZONE 15	

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
011647

WELL TYPE
Private Well

DRILL DATE: 1951/08/ TOWNSHIP 50N RANGE 21W SECTION 27 ELEVATION: 775FT
DRILL DEPTH: 475FT UTM X 482,975.80 UTM Y 4,326,914.60
DEPTH TO BED: 85FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: 1 MI S OF MARSHALL ON HWY 65
S.W.L. (AFTER CASING):

LOG ID:
002838

WELL TYPE
Private Well

DRILL DATE: 1934/02/27 TOWNSHIP 50N RANGE 21W SECTION 28 ELEVATION: 715FT
DRILL DEPTH: 300FT UTM X 481,379.75 UTM Y 4,325,923.55
DEPTH TO BED: 52FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 30

LOG ID:
019475

WELL TYPE
Private Well

DRILL DATE: 1957/07/02 TOWNSHIP 50N RANGE 21W SECTION 29 ELEVATION: 781FT
DRILL DEPTH: 212FT UTM X 479,675.71 UTM Y 4,326,255.54
DEPTH TO BED: 53FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 3 MI SW OF MARSHALL ON HERNDON RD
S.W.L. (AFTER CASING): 50

LOG ID:
014290

WELL TYPE
Private Well

DRILL DATE: 1955// TOWNSHIP 50N RANGE 21W SECTION 3 ELEVATION: 757FT
DRILL DEPTH: 116FT UTM X 483,142.85 UTM Y 4,332,153.78
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 95



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
012576

WELL TYPE
Private Well

DRILL DATE: 1953// TOWNSHIP 50N RANGE 21W SECTION 3 ELEVATION: 753FT
DRILL DEPTH: 96FT UTM X 481,742.83 UTM Y 4,333,593.81
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): REMARKS: ON HWY 41, 2 MI N OF MARSHALL
S.W.L. (AFTER CASING):

LOG ID:
027368

WELL TYPE
Private Well

DRILL DATE: TOWNSHIP 50N RANGE 21W SECTION 30 ELEVATION: 751FT
DRILL DEPTH: 185FT UTM X 477,661.69 UTM Y 4,326,498.53
DEPTH TO BED: 15FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: MUCH PENN SHALE CAVING
S.W.L. (AFTER CASING):

LOG ID:
012488

WELL TYPE
Private Well

DRILL DATE: 1953/03/18 TOWNSHIP 50N RANGE 21W SECTION 32 ELEVATION: 758FT
DRILL DEPTH: 435FT UTM X 478,330.66 UTM Y 4,324,556.47
DEPTH TO BED: 45FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 85

LOG ID:
003449

WELL TYPE
Private Well

DRILL DATE: 1935/09/ TOWNSHIP 50N RANGE 21W SECTION 33 ELEVATION: 732FT
DRILL DEPTH: 91FT UTM X 480,619.73 UTM Y 4,324,806.50
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): REMARKS: 3.5 MI N OF MARSHALL - GEORGE HAHN FARM
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**005744**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1939/11/17	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	778FT
<u>DRILL DEPTH:</u>	547FT	50N	21W	35	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	75FT				483,132.79	4,324,448.51
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	3 MI S OF MARSHALL @ OLD AIRPORT ON HWY 65; NO WATER			
<u>S.W.L. (AFTER CASING):</u>	102		UNTIL 395'			

LOG ID:**016665**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1957/07/25	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	723FT
<u>DRILL DEPTH:</u>	50FT	50N	22W	12	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	49FT				476,577.73	4,331,174.67
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	4 MI W OF MARSHALL - SAND POINT SET @ 48'			
<u>S.W.L. (AFTER CASING):</u>	38					

LOG ID:**012408**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1953//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	759FT
<u>DRILL DEPTH:</u>	105FT	50N	22W	2	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					475,069.75	4,332,762.71
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	6 MI W OF MALRSHALL - 2.5 IN TUBULAR WELL			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:**013686**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1955/04/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	757FT
<u>DRILL DEPTH:</u>	175FT	50N	22W	22	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				472,408.74	4,328,412.54
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	ABANDONED			
<u>S.W.L. (AFTER CASING):</u>						



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**013526**WELL TYPE

Private Well

DRILL DATE: 1955/04/ TOWNSHIP 50N RANGE 22W SECTION 22 ELEVATION: 747FT
DRILL DEPTH: 200FT UTM X UTM Y
DEPTH TO BED: 30FT 472,408.74 4,328,210.54
ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 1.1 MI W, 0.5 MI S OF SHACKLEFORD - ABANDONED
S.W.L. (AFTER CASING): 100

LOG ID:**010178**WELL TYPE

Private Well

DRILL DATE: 1947/04/24 TOWNSHIP 50N RANGE 22W SECTION 25 ELEVATION: 778FT
DRILL DEPTH: 410FT UTM X UTM Y
DEPTH TO BED: 475,550.70 4,326,440.51
ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 145

LOG ID:**010528**WELL TYPE

Private Well

DRILL DATE: 1948/07/23 TOWNSHIP 50N RANGE 22W SECTION 28 ELEVATION: 794FT
DRILL DEPTH: 425FT UTM X UTM Y
DEPTH TO BED: 472,125.73 4,326,082.47
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: 4.5 MI SW OF SHACKELFORD - ABANDONED & PLUGGED
S.W.L. (AFTER CASING):

LOG ID:**012577**WELL TYPE

Private Well

DRILL DATE: 1954/10/08 TOWNSHIP 50N RANGE 22W SECTION 29 ELEVATION: 730FT
DRILL DEPTH: 100FT UTM X UTM Y
DEPTH TO BED: 35FT 470,516.75 4,327,597.50
ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 18

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
005736

WELL TYPE
Community Public Well

DRILL DATE: 1939// TOWNSHIP 50N RANGE 22W SECTION 29 ELEVATION: 718FT
DRILL DEPTH: 3,306FT UTM X 470,016.75 UTM Y 4,327,088.48
DEPTH TO BED: 30FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: PLUGGED BACK TO 112';
S.W.L. (AFTER CASING):

LOG ID:
010140

WELL TYPE
Private Well

DRILL DATE: 1948/06/ TOWNSHIP 50N RANGE 22W SECTION 3 ELEVATION: 731FT
DRILL DEPTH: 70FT UTM X 472,853.76 UTM Y 4,332,416.67
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): REMARKS: ABT 7 MI W OF MARSHALL
S.W.L. (AFTER CASING):

LOG ID:
013474

WELL TYPE
Private Well

DRILL DATE: 1955// TOWNSHIP 50N RANGE 22W SECTION 32 ELEVATION: 773FT
DRILL DEPTH: 122FT UTM X 470,440.74 UTM Y 4,324,574.41
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 100

LOG ID:
004223

WELL TYPE
Private Well

DRILL DATE: 1936/08/03 TOWNSHIP 50N RANGE 22W SECTION 32 ELEVATION: 754FT
DRILL DEPTH: 197FT UTM X 470,440.74 UTM Y 4,324,574.41
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 110



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**011806**WELL TYPE

Private Well

DRILL DATE: 1951/07/ TOWNSHIP 50N RANGE 22W SECTION 5 ELEVATION: 760FT
DRILL DEPTH: 98FT UTM X 470,233.79 UTM Y 4,333,449.68
DEPTH TO BED: UTM X 470,233.79 UTM Y 4,333,449.68
ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 2 MI N OF C&A RR, N OF SALT SPRINGS, 4 MI S OF MALTA BEND,
S.W.L. (AFTER CASING): 83 1 MI E

LOG ID:**010136**WELL TYPE

Private Well

DRILL DATE: 1948/02/28 TOWNSHIP 50N RANGE 22W SECTION 6 ELEVATION: 770FT
DRILL DEPTH: 55FT UTM X 467,819.80 UTM Y 4,333,544.65
DEPTH TO BED: UTM X 467,819.80 UTM Y 4,333,544.65
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: #1 SCHEPPERS PLACE
S.W.L. (AFTER CASING):

LOG ID:**015586**WELL TYPE

Private Well

DRILL DATE: 1956/10/26 TOWNSHIP 50N RANGE 23W SECTION 11 ELEVATION: 777FT
DRILL DEPTH: 90FT UTM X 465,951.80 UTM Y 4,331,263.57
DEPTH TO BED: UTM X 465,951.80 UTM Y 4,331,263.57
ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 0.25 MI N OF MT. LEONARD; MORRIS DEAL FARM - 2.5 IN
S.W.L. (AFTER CASING): 77 TUBULAR PIPE

LOG ID:**011357**WELL TYPE

Private Well

DRILL DATE: 1950/04/08 TOWNSHIP 50N RANGE 23W SECTION 11 ELEVATION: 798FT
DRILL DEPTH: 89FT UTM X 464,751.82 UTM Y 4,332,085.58
DEPTH TO BED: UTM X 464,751.82 UTM Y 4,332,085.58
ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 1 MI N, 0.5 MI W OF MT. LEONARD - "JOE ROBERTSON"
S.W.L. (AFTER CASING): 72



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
010376

WELL TYPE
Private Well

DRILL DATE: 1948// TOWNSHIP 50N RANGE 23W SECTION 11 ELEVATION: 784FT
DRILL DEPTH: 76FT UTM X 464,651.81 UTM Y 4,331,366.55
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):

LOG ID:
006476

WELL TYPE
Private Well

DRILL DATE: 1940// TOWNSHIP 50N RANGE 23W SECTION 13 ELEVATION: 777FT
DRILL DEPTH: 89FT UTM X 466,311.80 UTM Y 4,331,017.56
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):

LOG ID:
006122

WELL TYPE
Private Well

DRILL DATE: 1940// TOWNSHIP 50N RANGE 23W SECTION 13 ELEVATION: 815FT
DRILL DEPTH: 515FT UTM X 467,311.79 UTM Y 4,329,587.53
DEPTH TO BED: 220FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: "BOULDERS 27-30', SHALE 30-215'" (DRILLER)
S.W.L. (AFTER CASING):

LOG ID:
022294

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1962/10/ TOWNSHIP 50N RANGE 23W SECTION 14 ELEVATION: 810FT
DRILL DEPTH: 425FT UTM X 465,688.81 UTM Y 4,331,084.56
DEPTH TO BED: 20FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: at City of Mt. Leonard - see complete log #22294 - deepened to 425 ft in
S.W.L. (AFTER CASING): 1964



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**021647**WELL TYPE

Noncommunity Public Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

810FT

DRILL DEPTH:

265FT

50N

23W

26

UTM XUTM YDEPTH TO BED:

20FT

465,368.79

4,327,860.46

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

at City of Mt. Leonard - see complete log #22294 - deepened to 425 ft in 1964

S.W.L. (AFTER CASING):**LOG ID:****002011**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

815FT

DRILL DEPTH:

500FT

50N

23W

34

UTM XUTM YDEPTH TO BED:

225FT

463,589.80

4,326,035.39

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

@ BLACKBURN

S.W.L. (AFTER CASING):**LOG ID:****009878**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

730FT

DRILL DEPTH:

460FT

50N

23W

9

UTM XUTM YDEPTH TO BED:

385FT

462,537.83

4,332,839.57

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

NW OF MT. LEONARD; SALT WATER- USE FOR STOCK ONLY

S.W.L. (AFTER CASING):**LOG ID:****024139**WELL TYPE

Private Well

DRILL DATE:

1966/02/17

TOWNSHIPRANGESECTIONELEVATION:

615FT

DRILL DEPTH:

52FT

51N

18W

7

UTM XUTM YDEPTH TO BED:

506,961.44

4,340,275.44

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:S.W.L. (AFTER CASING):

16

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
024438

WELL TYPE
Private Well

DRILL DATE: 1966/09/19

TOWNSHIP RANGE SECTION

ELEVATION: 614FT

DRILL DEPTH: 40FT

51N 18W 9

DEPTH TO BED:

UTM X UTM Y
511,549.48 4,339,423.53
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: CORNELIUS SELLMEYER

S.W.L. (AFTER CASING): 18

LOG ID:
016092

WELL TYPE
Private Well

DRILL DATE: 1957//

TOWNSHIP RANGE SECTION

ELEVATION: 787FT

DRILL DEPTH: 300FT

51N 19W 16

DEPTH TO BED: 35FT

UTM X UTM Y
500,192.35 4,339,628.24
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: 2.5 MI SE OF GILLIAM

S.W.L. (AFTER CASING):

LOG ID:
010350

WELL TYPE
Private Well

DRILL DATE: 1947/10/29

TOWNSHIP RANGE SECTION

ELEVATION: 802FT

DRILL DEPTH: 380FT

51N 19W 19

DEPTH TO BED: 30FT

UTM X UTM Y
497,677.28 4,337,878.14
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: IN SLATER

S.W.L. (AFTER CASING): 75

LOG ID:
007520

WELL TYPE
Private Well

DRILL DATE: 1941/09/10

TOWNSHIP RANGE SECTION

ELEVATION: 821FT

DRILL DEPTH: 356FT

51N 19W 30

DEPTH TO BED: 90FT

UTM X UTM Y
496,705.23 4,335,799.06
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS:

S.W.L. (AFTER CASING): 130



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**022393**WELL TYPE

Private Well

DRILL DATE: 1963/08/31TOWNSHIP RANGE SECTION

51N 19W 8

ELEVATION: 787FTDRILL DEPTH: 310FTDEPTH TO BED: 30FTUTM X UTM Y498,630.32 4,340,080.24
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: 3-4 MI E OF SLATERS.W.L. (AFTER CASING): 150**LOG ID:****012738**WELL TYPE

Private Well

DRILL DATE: 1954//TOWNSHIP RANGE SECTION

51N 20W 12

ELEVATION: 840FTDRILL DEPTH: 550FTDEPTH TO BED: 125FTUTM X UTM Y496,361.26 4,340,383.22
ZONE 15S.W.L. (BEFORE CASING):REMARKS: 1 MI E OF SLATER - "McMULLINS"S.W.L. (AFTER CASING):**LOG ID:****010561**WELL TYPE

Private Well

DRILL DATE: 1948/07/08TOWNSHIP RANGE SECTION

51N 20W 14

ELEVATION: 780FTDRILL DEPTH: 435FTDEPTH TO BED: 50FTUTM X UTM Y494,042.19 4,338,634.13
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: 2.5 MI S OF SLATER ON HWY 240- YIELD 15 GPM @ 200'S.W.L. (AFTER CASING): 110**LOG ID:****024411**WELL TYPE

Private Well

DRILL DATE: 1965/05/25TOWNSHIP RANGE SECTION

51N 20W 15

ELEVATION: 836FTDRILL DEPTH: 513FTDEPTH TO BED: 140FTUTM X UTM Y493,212.18 4,339,995.17
ZONE 15S.W.L. (BEFORE CASING):REMARKS: POOR SAMPLESS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**010626**WELL TYPE

Private Well

DRILL DATE: 1947/06/02TOWNSHIPRANGESECTIONELEVATION:

765FT

DRILL DEPTH: 200FT

51N

20W

17

DEPTH TO BED: 25FTUTM XUTM Y

489,906.08

4,339,052.09

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****004047**WELL TYPE

Private Well

DRILL DATE: 1936/10/14TOWNSHIPRANGESECTIONELEVATION:

770FT

DRILL DEPTH: 168FT

51N

20W

17

DEPTH TO BED: 30FTUTM XUTM Y

489,406.07

4,338,721.07

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: #1 WILHITE; "FRESH WATER"S.W.L. (AFTER CASING): 48**LOG ID:****009879**WELL TYPE

Private Well

DRILL DATE: 1947/01/08TOWNSHIPRANGESECTIONELEVATION:

758FT

DRILL DEPTH: 43FT

51N

20W

18

DEPTH TO BED: 40FTUTM XUTM Y

488,236.04

4,339,550.09

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 4 MI S OF SLATERS.W.L. (AFTER CASING):**LOG ID:****007518**WELL TYPE

Private Well

DRILL DATE: 1942/01/15TOWNSHIPRANGESECTIONELEVATION:

841FT

DRILL DEPTH: 308FT

51N

20W

22

DEPTH TO BED: 45FTUTM XUTM Y

492,646.14

4,337,816.08

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: **"INEXHAUSTIBLE"S.W.L. (AFTER CASING): 45



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**011311**WELL TYPE

Private Well

DRILL DATE: 1948/01/10TOWNSHIP RANGE SECTION

51N 20W 23

ELEVATION: 772FTDRILL DEPTH: 260FTUTM X UTM YDEPTH TO BED: 45FT493,492.16 4,337,318.07
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: ABT 2 MI S OF SLATER ON HWY 40S.W.L. (AFTER CASING): 90**LOG ID:****011179**WELL TYPE

Private Well

DRILL DATE: 1949/10/TOWNSHIP RANGE SECTION

51N 20W 23

ELEVATION: 776FTDRILL DEPTH: 308FTUTM X UTM YDEPTH TO BED: 100FT493,992.18 4,338,292.11
ZONE 15S.W.L. (BEFORE CASING):REMARKS: 2 MI S OF SLATERS.W.L. (AFTER CASING):**LOG ID:****019474**WELL TYPE

Private Well

DRILL DATE: 1957/03/01TOWNSHIP RANGE SECTION

51N 20W 29

ELEVATION: 773FTDRILL DEPTH: 255FTUTM X UTM YDEPTH TO BED: 20FT489,013.03 4,335,311.95
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: 5 MI NE OF MARSHALLS.W.L. (AFTER CASING): 70**LOG ID:****007519**WELL TYPE

Private Well

DRILL DATE: 1941/08/09TOWNSHIP RANGE SECTION

51N 20W 29

ELEVATION: 804FTDRILL DEPTH: 232FTUTM X UTM YDEPTH TO BED: 35FT488,413.02 4,336,361.98
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: FRESH WATERS.W.L. (AFTER CASING): 25



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**010177**WELL TYPE

Private Well

DRILL DATE: 1947/05/07TOWNSHIPRANGESECTIONELEVATION:

795FT

DRILL DEPTH: 219FT

51N

20W

3

DEPTH TO BED: 50FTUTM XUTM Y

492,552.18

4,342,452.24

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 50**LOG ID:****010560**WELL TYPE

Private Well

DRILL DATE: 1948/02/16TOWNSHIPRANGESECTIONELEVATION:

862FT

DRILL DEPTH: 510FT

51N

20W

3

DEPTH TO BED: 40FTUTM XUTM Y

492,552.18

4,342,350.24

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 2 MI W OF SLATER ON HWY CS.W.L. (AFTER CASING): 110**LOG ID:****009876**WELL TYPE

Private Well

DRILL DATE: 1947/01/14TOWNSHIPRANGESECTIONELEVATION:

804FT

DRILL DEPTH: 100FT

51N

20W

30

DEPTH TO BED: 35FTUTM XUTM Y

488,142.02

4,336,445.98

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 6 MI W OF SLATER, NE OF MARSHALL - #1 NUEGENS.W.L. (AFTER CASING):**LOG ID:****010559**WELL TYPE

Private Well

DRILL DATE: 1948/07/29TOWNSHIPRANGESECTIONELEVATION:

748FT

DRILL DEPTH: 180FT

51N

20W

30

DEPTH TO BED: 35FTUTM XUTM Y

487,341.99

4,335,589.94

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 6 MI NE OF MARSHALL ON OLD SLATER RD; 30 GPM @ 120'S.W.L. (AFTER CASING): 72

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
010352

WELL TYPE
Private Well

DRILL DATE: 1947// TOWNSHIP 51N RANGE 20W SECTION 31 ELEVATION: 725FT
DRILL DEPTH: 111FT UTM X 487,497.98 UTM Y 4,333,912.88
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): REMARKS: NE OF MARSHALL - ALLUVIUM ON LOG
S.W.L. (AFTER CASING):

LOG ID:
017276

WELL TYPE
Private Well

DRILL DATE: 1958/04/ TOWNSHIP 51N RANGE 20W SECTION 33 ELEVATION: 784FT
DRILL DEPTH: 543FT UTM X 490,398.06 UTM Y 4,335,058.96
DEPTH TO BED: 45FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):

LOG ID:
009812

WELL TYPE
Private Well

DRILL DATE: 1946/11/27 TOWNSHIP 51N RANGE 20W SECTION 33 ELEVATION: 745FT
DRILL DEPTH: 301FT UTM X 490,798.07 UTM Y 4,333,998.92
DEPTH TO BED: 30FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 74

LOG ID:
005304

WELL TYPE
Private Well

DRILL DATE: 1938/12/02 TOWNSHIP 51N RANGE 20W SECTION 34 ELEVATION: 820FT
DRILL DEPTH: 400FT UTM X 492,942.12 UTM Y 4,333,630.93
DEPTH TO BED: 40FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: YIELD - 8 GPM @ 200'
S.W.L. (AFTER CASING): 116



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**005832**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1940/01/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	786FT
<u>DRILL DEPTH:</u>	439FT	51N	20W	6	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	160FT				488,353.07	4,342,440.19
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	100	<u>REMARKS:</u>	3 MI N OF NORTON - 4 GPM @ 165'			

LOG ID:**009235**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1946/06/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	791FT
<u>DRILL DEPTH:</u>	215FT	51N	20W	7	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	85FT				487,899.05	4,341,619.16
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	50 GPH @ 109', 2.5 GPM @ 185'			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:**009959**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1947/01/25	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	803FT
<u>DRILL DEPTH:</u>	95FT	51N	20W	8	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	65FT				489,365.08	4,340,283.13
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>	25					

LOG ID:**020056**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1960/12/03	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	840FT
<u>DRILL DEPTH:</u>	585FT	51N	20W	9	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	185FT				491,139.13	4,341,081.18
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	2 MI W OF SLATER - formerly in name of Glen N. Winn			
<u>S.W.L. (AFTER CASING):</u>	250					

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
010672

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1947/06/03	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	796FT
		51N	20W	9		
<u>DRILL DEPTH:</u>	240FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	80FT				490,239.10	4,340,219.14
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:
021988

WELL TYPE
Industrial High Capacity Well

<u>DRILL DATE:</u>	1963/05/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	759FT
		51N	21W	10		
<u>DRILL DEPTH:</u>	393FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	60FT				483,427.93	4,340,903.08
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u> @ SLATER				
<u>S.W.L. (AFTER CASING):</u>	100					

LOG ID:
004046

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1936/08/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	782FT
		51N	21W	10		
<u>DRILL DEPTH:</u>	226FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	80FT				482,927.91	4,340,303.05
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>	70					

LOG ID:
023232

WELL TYPE
Private Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	749FT
		51N	21W	11		
<u>DRILL DEPTH:</u>	395FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	75FT				483,833.93	4,340,268.06
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>	160					



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**024475**WELL TYPE

Private Well

DRILL DATE: 1964/03/10TOWNSHIP RANGE SECTION

51N 21W 11

ELEVATION: 751FTDRILL DEPTH: 400FTUTM X UTM YDEPTH TO BED: 115FT

483,833.93 4,340,268.06

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: well site buried and new owner doesn't know location spot and elevation of previous house - poor samplesS.W.L. (AFTER CASING): 60**LOG ID:****016356**WELL TYPE

Private Well

DRILL DATE: 1957/05/29TOWNSHIP RANGE SECTION

51N 21W 13

ELEVATION: 769FTDRILL DEPTH: 245FTUTM X UTM YDEPTH TO BED: 35FT

485,813.98 4,339,057.04

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 103**LOG ID:****009971**WELL TYPE

Private Well

DRILL DATE: 1946/09/TOWNSHIP RANGE SECTION

51N 21W 13

ELEVATION: 750FTDRILL DEPTH: 288FTUTM X UTM YDEPTH TO BED: 25FT

486,614.00 4,339,263.06

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: NO WATER ABOVE ST. PETERS.W.L. (AFTER CASING): 70**LOG ID:****003705**WELL TYPE

Private Well

DRILL DATE: 1936/07/TOWNSHIP RANGE SECTION

51N 21W 17

ELEVATION: 744FTDRILL DEPTH: 105FTUTM X UTM YDEPTH TO BED:

478,748.80 4,339,654.98

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: TUCKER FARM - formerly in name of H.W. HarveyS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**016380**WELL TYPE

Private Well

DRILL DATE: 1957//TOWNSHIPRANGESECTIONELEVATION:

760FT

DRILL DEPTH: 220FT

51N

21W

24

DEPTH TO BED: 35FTUTM XUTM Y

485,756.97

4,338,447.02

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 2 MI W OF NORTONS.W.L. (AFTER CASING):**LOG ID:****016357**WELL TYPE

Private Well

DRILL DATE: 1957/06/20TOWNSHIPRANGESECTIONELEVATION:

728FT

DRILL DEPTH: 100FT

51N

21W

26

DEPTH TO BED:UTM XUTM Y

484,876.93

4,336,412.94

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: NEAR NORTON, ABT 5 MI N OF MARSHALLS.W.L. (AFTER CASING): 65**LOG ID:****004818**WELL TYPE

Private Well

DRILL DATE: 1938/05/TOWNSHIPRANGESECTIONELEVATION:

723FT

DRILL DEPTH: 86FT

51N

21W

27

DEPTH TO BED:UTM XUTM Y

482,444.87

4,336,458.91

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****014499**WELL TYPE

Private Well

DRILL DATE: 1956//TOWNSHIPRANGESECTIONELEVATION:

710FT

DRILL DEPTH: 125FT

51N

21W

28

DEPTH TO BED:UTM XUTM Y

480,866.83

4,336,857.91

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: owner's name previously mis-spelled as H.K. Cornel - 2.5 inch tubular wellS.W.L. (AFTER CASING): 80



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**011174**WELL TYPE

Private Well

DRILL DATE: 1949/05/02TOWNSHIP RANGE SECTIONELEVATION: 760FTDRILL DEPTH: 410FT

51N 21W 34

DEPTH TO BED: 50FTUTM X UTM Y
482,699.86 4,334,300.84
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: formerly in name of Mrs. J.E. Brewer - 10 MI NW OF MARSHALL - 5
GPM @ 180'S.W.L. (AFTER CASING): 80**LOG ID:****012178**WELL TYPE

Private Well

DRILL DATE: 1952/06/26TOWNSHIP RANGE SECTIONELEVATION: 683FTDRILL DEPTH: 118FT

51N 21W 34

DEPTH TO BED:UTM X UTM Y
482,999.87 4,335,222.88
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: 2.5 IN TUBULAR CASINGS.W.L. (AFTER CASING): 70**LOG ID:****018798**WELL TYPE

Community Public Well

DRILL DATE:TOWNSHIP RANGE SECTIONELEVATION: 714FTDRILL DEPTH: 102FT

51N 21W 35

DEPTH TO BED:UTM X UTM Y
484,025.89 4,333,789.84
ZONE 15S.W.L. (BEFORE CASING):REMARKS: "CENTER WELL"S.W.L. (AFTER CASING):**LOG ID:****011155**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1949/11/TOWNSHIP RANGE SECTIONELEVATION: 700FTDRILL DEPTH: 100FT

51N 21W 35

DEPTH TO BED:UTM X UTM Y
484,025.89 4,333,789.84
ZONE 15S.W.L. (BEFORE CASING):REMARKS: "ALLUVIUM" ON LOGS.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
004820

WELL TYPE
Community Public Well

DRILL DATE: 1938/05/ TOWNSHIP 51N RANGE 21W SECTION 35 ELEVATION: 718FT
DRILL DEPTH: 94FT UTM X 484,225.89 UTM Y 4,333,789.84
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): REMARKS: NO PRODUCTION OR CONSTRUCTION DATA
S.W.L. (AFTER CASING):

LOG ID:
010499

WELL TYPE
Private Well

DRILL DATE: 1948/11/ TOWNSHIP 51N RANGE 21W SECTION 6 ELEVATION: 688FT
DRILL DEPTH: 59FT UTM X 478,031.81 UTM Y 4,342,728.07
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):

LOG ID:
012678

WELL TYPE
Private Well

DRILL DATE: 1953/10/14 TOWNSHIP 51N RANGE 21W SECTION 9 ELEVATION: 771FT
DRILL DEPTH: 100FT UTM X 481,214.88 UTM Y 4,341,510.07
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 1 MI S OF FAIRFIELD
S.W.L. (AFTER CASING): 100

LOG ID:
012679

WELL TYPE
Private Well

DRILL DATE: 1953/11/12 TOWNSHIP 51N RANGE 21W SECTION 9 ELEVATION: 773FT
DRILL DEPTH: 110FT UTM X 481,214.88 UTM Y 4,341,510.07
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: formerly in name of Henry W. Harvey - 1 mile S of Fairfield, across road
S.W.L. (AFTER CASING): 67 from Well #1



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
024572

WELL TYPE
WATER TEST WELL (HOLE)

DRILL DATE: 1966/11/07 TOWNSHIP 51N RANGE 22W SECTION 1 ELEVATION: 683FT
DRILL DEPTH: 117FT UTM X 476,601.81 UTM Y 4,341,992.02
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): REMARKS: MISSOURI RIVER PROFILE STUDY
S.W.L. (AFTER CASING):

LOG ID:
024552

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: 1966/11/07 TOWNSHIP 51N RANGE 22W SECTION 16 ELEVATION: 652FT
DRILL DEPTH: 97FT UTM X 471,281.82 UTM Y 4,339,827.88
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): REMARKS: RIVER PROFILE STUDY
S.W.L. (AFTER CASING):

LOG ID:
000304

WELL TYPE
Unknown Well

DRILL DATE: 1903/07/00 TOWNSHIP 51N RANGE 22W SECTION 19 ELEVATION: 690FT
DRILL DEPTH: 1,250FT UTM X 469,405.82 UTM Y 4,338,569.82
DEPTH TO BED: 119FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: @ MA;LTA BEND; EITHER WATER WELL OR OIL & GAS WELL -
S.W.L. (AFTER CASING): NOT CERTAIN

LOG ID:
003095

WELL TYPE
Dry Oil &/or Gas Well

DRILL DATE: 1927/06/ TOWNSHIP 51N RANGE 22W SECTION 24 ELEVATION: 660FT
DRILL DEPTH: 1,485FT UTM X 476,022.78 UTM Y 4,337,734.88
DEPTH TO BED: 110FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: #1 BLOSSER - NEAR BLOSSER STATION - PLUGGED IN 1935
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**017213**WELL TYPE

Private Well

DRILL DATE: 1958/05/12TOWNSHIP RANGE SECTIONELEVATION: 747FTDRILL DEPTH: 101FT

51N

22W

30

DEPTH TO BED:UTM X UTM Y
468,537.81 4,335,997.73
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: formerly in name of James Luther Hitson - in Malta Bend, 2 miles S of
Hwy 65 - 2 houses S of schoolS.W.L. (AFTER CASING): 40**LOG ID:****011804**WELL TYPE

Private Well

DRILL DATE:TOWNSHIP RANGE SECTIONELEVATION: 762FTDRILL DEPTH: 85FT

51N

23W

19

DEPTH TO BED:UTM X UTM Y
459,612.87 4,339,520.72
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: 3 MI E OF WAVERLY - 2-IN TUBULAR WELLS.W.L. (AFTER CASING): 64**LOG ID:****011159**WELL TYPE

Private Well

DRILL DATE: 1949/12/08TOWNSHIP RANGE SECTIONELEVATION: 825FTDRILL DEPTH: 143FT

51N

23W

19

DEPTH TO BED:UTM X UTM Y
459,412.87 4,339,520.72
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: 4 MI NE OF WAVERLYS.W.L. (AFTER CASING): 133**LOG ID:****004821**WELL TYPE

Private Well

DRILL DATE: 1938/05/TOWNSHIP RANGE SECTIONELEVATION: 783FTDRILL DEPTH: 155FT

51N

23W

19

DEPTH TO BED:UTM X UTM Y
459,812.86 4,338,694.70
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: 2.5 MI E, 1.5 MI N OF WAVERLYS.W.L. (AFTER CASING): 75



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
004817

WELL TYPE
Private Well

DRILL DATE: 1938/05/ TOWNSHIP 51N RANGE 23W SECTION 20 ELEVATION: 805FT
DRILL DEPTH: 119FT UTM X 460,434.86 UTM Y 4,339,439.73
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): REMARKS: GRAND PASS
S.W.L. (AFTER CASING):

LOG ID:
010377

WELL TYPE
Private Well

DRILL DATE: 1948// TOWNSHIP 51N RANGE 23W SECTION 21 ELEVATION: 692FT
DRILL DEPTH: 67FT UTM X 462,465.85 UTM Y 4,339,175.75
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):

LOG ID:
024571

WELL TYPE
Private Well

DRILL DATE: 1966/11/07 TOWNSHIP 51N RANGE 23W SECTION 24 ELEVATION: 698FT
DRILL DEPTH: 117FT UTM X 466,449.83 UTM Y 4,338,300.78
DEPTH TO BED: 112FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: MISSOURI RIVER PROFILE STUDY
S.W.L. (AFTER CASING):

LOG ID:
016368

WELL TYPE
Private Well

DRILL DATE: 1957/05/03 TOWNSHIP 51N RANGE 23W SECTION 28 ELEVATION: 685FT
DRILL DEPTH: 85FT UTM X 462,977.85 UTM Y 4,337,764.72
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): REMARKS: NO PRODUCTION
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**016369**WELL TYPE

Private Well

DRILL DATE: 1957/05/06TOWNSHIP RANGE SECTION

51N

23W

28

ELEVATION: 685FTDRILL DEPTH: 86FTUTM X UTM Y

462,977.85 4,337,764.72

ZONE 15

DEPTH TO BED:S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****003450**WELL TYPE

Private Well

DRILL DATE: 1935/09/TOWNSHIP RANGE SECTION

51N

23W

28

ELEVATION: 747FTDRILL DEPTH: 62FTUTM X UTM Y

461,577.85 4,336,314.66

ZONE 15

DEPTH TO BED:S.W.L. (BEFORE CASING):REMARKS: 2.5 MI S OF GRAND PASSS.W.L. (AFTER CASING):**LOG ID:****021209**WELL TYPE

Community Public Well

DRILL DATE:TOWNSHIP RANGE SECTION

51N

23W

31

ELEVATION: 732FTDRILL DEPTH: 50FTUTM X UTM Y

458,959.86 4,335,566.61

ZONE 15

DEPTH TO BED:S.W.L. (BEFORE CASING):REMARKS: "CAN'T LOCATE - ALLUVIUM ON LOG - #WB-5 MILLERS.W.L. (AFTER CASING):**LOG ID:****021208**WELL TYPE

Community Public Well

DRILL DATE: 1962/09/TOWNSHIP RANGE SECTION

51N

23W

31

ELEVATION: 769FTDRILL DEPTH: 82FTUTM X UTM Y

458,259.86 4,334,838.58

ZONE 15

DEPTH TO BED: 73FTS.W.L. (BEFORE CASING):REMARKS: #WB-7 MILLER - ALLUVIUM ON LOGS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**021207**WELL TYPE

Community Public Well

DRILL DATE: 1962/09/TOWNSHIPRANGESECTIONELEVATION:

772FT

DRILL DEPTH: 65FT

51N

23W

31

UTM XUTM Y

458,259.86

4,334,838.58

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #WB-8 MILLER - ALLUVIUM ON LOGS.W.L. (AFTER CASING):**LOG ID:****021210**WELL TYPE

Community Public Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

732FT

DRILL DEPTH: 41FT

51N

23W

31

UTM XUTM Y

458,959.86

4,335,566.61

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: ALLUVIUM ON LOG - "CAN'T LOCATE - #WB-6 MILLERS.W.L. (AFTER CASING):**LOG ID:****003706**WELL TYPE

Private Well

DRILL DATE: 1936/07/TOWNSHIPRANGESECTIONELEVATION:

747FT

DRILL DEPTH: 78FT

51N

23W

33

UTM XUTM Y

461,692.85

4,335,717.64

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 2.5 MI S OF GRAND PASSS.W.L. (AFTER CASING):**LOG ID:****005793**WELL TYPE

Private Well

DRILL DATE: 1939/11/TOWNSHIPRANGESECTIONELEVATION:

773FT

DRILL DEPTH: 100FT

51N

23W

33

UTM XUTM Y

462,892.84

4,335,923.66

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 3 MI S, 1 MI E OF GRAND PASSS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
005739

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1939/10/ TOWNSHIP 51N RANGE 23W SECTION 8 ELEVATION: 652FT
DRILL DEPTH: 46FT UTM X 461,603.86 UTM Y 4,341,664.81
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):

LOG ID:
024427

WELL TYPE
WATER TEST WELL (HOLE)

DRILL DATE: TOWNSHIP 52N RANGE 19W SECTION 15 ELEVATION: 623FT
DRILL DEPTH: 28FT UTM X 502,895.39 UTM Y 4,348,538.54
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): REMARKS: BANGERT FARM
S.W.L. (AFTER CASING):

LOG ID:
007693

WELL TYPE
Private Well

DRILL DATE: 1941// TOWNSHIP 52N RANGE 19W SECTION 16 ELEVATION: 707FT
DRILL DEPTH: 242FT UTM X 501,050.36 UTM Y 4,349,230.51
DEPTH TO BED: 50FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 6 MI N OF GILLIAM; TOO SALTY, CAPPED WITH CHUNK OF WOOD
S.W.L. (AFTER CASING): 100

LOG ID:
010102

WELL TYPE
Private Well

DRILL DATE: 1947/12/18 TOWNSHIP 52N RANGE 19W SECTION 20 ELEVATION: 775FT
DRILL DEPTH: 259FT UTM X 499,727.36 UTM Y 4,347,744.46
DEPTH TO BED: 80FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 55

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
014779

WELL TYPE
Private Well

DRILL DATE: 1955/11/15

TOWNSHIP RANGE SECTION

ELEVATION: 732FT

DRILL DEPTH: 250FT

52N 19W 28

DEPTH TO BED:

UTM X UTM Y
500,733.40 4,344,639.44
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: 1 MI N OF GILLIAM - 10 GPM @ 200'

S.W.L. (AFTER CASING): 70

LOG ID:
024426

WELL TYPE
WATER TEST WELL (HOLE)

DRILL DATE:

TOWNSHIP RANGE SECTION

ELEVATION: 624FT

DRILL DEPTH: 35FT

52N 19W 9

DEPTH TO BED:

UTM X UTM Y
501,676.36 4,350,824.54
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: E.E. RHODES FARM

S.W.L. (AFTER CASING):

LOG ID:
012747

WELL TYPE
Community Public Well

DRILL DATE: 1954//

TOWNSHIP RANGE SECTION

ELEVATION: 807FT

DRILL DEPTH: 331FT

52N 20W 15

DEPTH TO BED: 80FT

UTM X UTM Y
493,655.21 4,348,566.40
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: 6 MI N OF SLATER

S.W.L. (AFTER CASING): 39

LOG ID:
011161

WELL TYPE
Private Well

DRILL DATE: 1949/08/03

TOWNSHIP RANGE SECTION

ELEVATION: 784FT

DRILL DEPTH: 115FT

52N 20W 17

DEPTH TO BED: 40FT

UTM X UTM Y
489,389.10 4,349,981.37
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: 1 MI E OF SHARON

S.W.L. (AFTER CASING): 47



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**011358**WELL TYPE

Private Well

DRILL DATE: 1950/02/28TOWNSHIPRANGESECTIONELEVATION:

697FT

DRILL DEPTH: 69FT

52N

20W

2

DEPTH TO BED: 55FTUTM XUTM Y

494,000.19

4,352,351.46

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 7.5 MI N OF SLATERS.W.L. (AFTER CASING): 30**LOG ID:****012265**WELL TYPE

Private Well

DRILL DATE: 1953/01/30TOWNSHIPRANGESECTIONELEVATION:

693FT

DRILL DEPTH: 90FT

52N

20W

2

DEPTH TO BED: 40FTUTM XUTM Y

494,000.20

4,352,151.46

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 28**LOG ID:****009877**WELL TYPE

Private Well

DRILL DATE: 1947/01/06TOWNSHIPRANGESECTIONELEVATION:

705FT

DRILL DEPTH: 90FT

52N

20W

24

DEPTH TO BED: 20FTUTM XUTM Y

496,052.27

4,346,933.40

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 5 MI N OF SLATER; LOGGED AS BURLINGTON-KEOKUK, BUT NOTE
SAYS "WARSAW"S.W.L. (AFTER CASING): 15**LOG ID:****009450**WELL TYPE

Private Well

DRILL DATE: 1946/08/30TOWNSHIPRANGESECTIONELEVATION:

845FT

DRILL DEPTH: 405FT

52N

20W

26

DEPTH TO BED:UTM XUTM Y

494,551.25

4,345,197.36

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 70



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**002944**WELL TYPE

Private Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	776FT
<u>DRILL DEPTH:</u>	606FT	52N	20W	29		
<u>DEPTH TO BED:</u>	15FT				<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>	FT				488,943.10	4,345,772.29
<u>S.W.L. (AFTER CASING):</u>	135				ZONE 15	

REMARKS:**LOG ID:****010351**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1947/11/05	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	701FT
<u>DRILL DEPTH:</u>	65FT	52N	20W	3		
<u>DEPTH TO BED:</u>	40FT				<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>	FT				493,203.18	4,352,417.45
<u>S.W.L. (AFTER CASING):</u>	30				ZONE 15	

REMARKS: formerly in name of Mrs. L.K. Wood - @ SLATER ("SLADER") "CAN'T LOCATE"**LOG ID:****016938**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1957/09/25	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	800FT
<u>DRILL DEPTH:</u>	550FT	52N	20W	30		
<u>DEPTH TO BED:</u>	145FT				<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>	FT				487,934.07	4,346,174.29
<u>S.W.L. (AFTER CASING):</u>	260				ZONE 15	

REMARKS: 5 MI NW OF SLATER, 1 MI W OF SLATER-MIAMI RD**LOG ID:****007907**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1942//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	795FT
<u>DRILL DEPTH:</u>	400FT	52N	20W	31		
<u>DEPTH TO BED:</u>	150FT				<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>					488,069.08	4,344,061.24
<u>S.W.L. (AFTER CASING):</u>					ZONE 15	

REMARKS: W OF SLATER



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**002943**WELL TYPE

Private Well

DRILL DATE: 1934/08/05TOWNSHIPRANGESECTIONELEVATION:

744FT

DRILL DEPTH: 349FT

52N

20W

31

DEPTH TO BED: 80FTUTM XUTM Y

488,469.08

4,343,833.24

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 100**LOG ID:****003553**WELL TYPE

Private Well

DRILL DATE: 1935/09/01TOWNSHIPRANGESECTIONELEVATION:

843FT

DRILL DEPTH: 645FT

52N

20W

32

DEPTH TO BED: 40FTUTM XUTM Y

489,967.13

4,344,875.29

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 6 MI W OF SLATER ON MIAMI RDS.W.L. (AFTER CASING): 130**LOG ID:****017818**WELL TYPE

Private Well

DRILL DATE: 1958/07/TOWNSHIPRANGESECTIONELEVATION:

837FT

DRILL DEPTH: 535FT

52N

20W

35

DEPTH TO BED: 70FTUTM XUTM Y

494,185.24

4,344,603.34

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 3.5 MI DIRECTLY N OF SLATERS.W.L. (AFTER CASING): 185**LOG ID:****004127**WELL TYPE

Private Well

DRILL DATE: 1936/10/10TOWNSHIPRANGESECTIONELEVATION:

843FT

DRILL DEPTH: 535FT

52N

20W

35

DEPTH TO BED: 80FTUTM XUTM Y

494,185.24

4,344,813.34

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 1.5 MI E OF R. GARNETTS.W.L. (AFTER CASING): 100



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**005850**WELL TYPE

Private Well

DRILL DATE: 1939/10/28TOWNSHIP RANGE SECTIONELEVATION: 860FTDRILL DEPTH: 595FT

52N 20W 35

DEPTH TO BED: 40FTUTM X UTM Y
494,685.25 4,343,969.33
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: 2 MI N OF SLATERS.W.L. (AFTER CASING): 160**LOG ID:****010710**WELL TYPE

Private Well

DRILL DATE: 1947/06/TOWNSHIP RANGE SECTIONELEVATION: 689FTDRILL DEPTH: 65FT

52N 20W 4

DEPTH TO BED: 35FTUTM X UTM Y
491,780.14 4,352,893.44
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 45**LOG ID:****009449**WELL TYPE

Private Well

DRILL DATE: 1946/07/24TOWNSHIP RANGE SECTIONELEVATION: 730FTDRILL DEPTH: 250FT

52N 20W 7

DEPTH TO BED:UTM X UTM Y
488,355.07 4,350,849.37
ZONE 15S.W.L. (BEFORE CASING):REMARKS: 6 MI E OF MIAMIS.W.L. (AFTER CASING):**LOG ID:****010707**WELL TYPE

Private Well

DRILL DATE: 1947/07/08TOWNSHIP RANGE SECTIONELEVATION: 712FTDRILL DEPTH: 120FT

52N 20W 9

DEPTH TO BED: 65FTUTM X UTM Y
491,607.14 4,351,413.42
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: formerly in name of Mrs. Harrie Cusie - @ SlaterS.W.L. (AFTER CASING): 48



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**004222**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:DRILL DEPTH: 282FT

52N

21W

10

DEPTH TO BED: 105FTUTM XUTM Y

479,337.86

4,353,454.33

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 68**LOG ID:****005592**WELL TYPE

Private Well

DRILL DATE: 1939//TOWNSHIPRANGESECTIONELEVATION:

750FT

DRILL DEPTH: 414FT

52N

21W

13

DEPTH TO BED: 125FTUTM XUTM Y

485,750.01

4,349,456.32

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****011571**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1951/05/25TOWNSHIPRANGESECTIONELEVATION:

807FT

DRILL DEPTH: 288FT

52N

21W

16

DEPTH TO BED: 140FTUTM XUTM Y

480,767.89

4,349,313.26

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 180**LOG ID:****010541**WELL TYPE

Private Well

DRILL DATE: 1948/09/08TOWNSHIPRANGESECTIONELEVATION:

717FT

DRILL DEPTH: 220FT

52N

21W

17

DEPTH TO BED:UTM XUTM Y

479,508.86

4,348,957.24

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 4 MI SW OF MIAMIS.W.L. (AFTER CASING): 74



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
021625

WELL TYPE
Private Well

DRILL DATE: 1963/01/14

TOWNSHIP RANGE SECTION

ELEVATION: 720FT

DRILL DEPTH: 180FT

52N 21W 20

DEPTH TO BED: 50FT

UTM X UTM Y
480,159.88 4,346,936.20
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: 10 MI N OF MARSHALL

S.W.L. (AFTER CASING):

LOG ID:
016360

WELL TYPE
Private Well

DRILL DATE: 1957/04/26

TOWNSHIP RANGE SECTION

ELEVATION: 755FT

DRILL DEPTH: 465FT

52N 21W 23

DEPTH TO BED: 65FT

UTM X UTM Y
484,724.99 4,347,155.26
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: 10 MI W OF SLATER - TENNENT FARM

S.W.L. (AFTER CASING): 92

LOG ID:
005082

WELL TYPE
Private Well

DRILL DATE: 1938/10/

TOWNSHIP RANGE SECTION

ELEVATION: 765FT

DRILL DEPTH: 406FT

52N 21W 23

DEPTH TO BED: 85FT

UTM X UTM Y
484,824.99 4,347,155.27
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: 10 MI NW OF SLATER

S.W.L. (AFTER CASING): 140

LOG ID:
009407

WELL TYPE
Private Well

DRILL DATE: 1946//

TOWNSHIP RANGE SECTION

ELEVATION: 775FT

DRILL DEPTH: 440FT

52N 21W 25

DEPTH TO BED: 70FT

UTM X UTM Y
486,828.05 4,345,742.27
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: formerly in name of Dr. G.A. Aiken

S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**016666**WELL TYPE

Private Well

DRILL DATE: 1957/08/06TOWNSHIP RANGE SECTIONELEVATION: 725FTDRILL DEPTH: 46FT

52N 21W 30

DEPTH TO BED:UTM X UTM Y
478,875.84 4,346,265.18
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: 10 MI N OF MARSHALL, 2 MI W OF HWY 41S.W.L. (AFTER CASING): 27**LOG ID:****012409**WELL TYPE

Private Well

DRILL DATE: 1953/06/15TOWNSHIP RANGE SECTIONELEVATION: 785FTDRILL DEPTH: 185FT

52N 21W 33

DEPTH TO BED: 55FTUTM X UTM Y
481,527.91 4,344,036.16
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: 1 MI N OF FAIRVILLES.W.L. (AFTER CASING): 40**LOG ID:****020708**WELL TYPE

Private Well

DRILL DATE: 1961/08/16TOWNSHIP RANGE SECTIONELEVATION: 756FTDRILL DEPTH: 195FT

52N 21W 5

DEPTH TO BED: 45FTUTM X UTM Y
480,533.89 4,352,669.32
ZONE 15S.W.L. (BEFORE CASING):REMARKS: IN MIAMIS.W.L. (AFTER CASING):**LOG ID:****012483**WELL TYPE

Private Well

DRILL DATE: 1952/09/25TOWNSHIP RANGE SECTIONELEVATION: 752FTDRILL DEPTH: 208FT

52N 21W 5

DEPTH TO BED: 95FTUTM X UTM Y
480,533.89 4,352,669.32
ZONE 15S.W.L. (BEFORE CASING):REMARKS: IN MIAMI - MINERAL WATER - UNUSABLES.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**012126**WELL TYPE

Private Well

DRILL DATE: 1950/08/17TOWNSHIP RANGE SECTION

52N

21W

5

ELEVATION: 764FTDRILL DEPTH: 244FTUTM XUTM YDEPTH TO BED: 105FT

480,633.89

4,351,998.31

ZONE 15

S.W.L. (BEFORE CASING): 105 FTREMARKS: SOUTH LIMITS OF MIAMIS.W.L. (AFTER CASING): 56 FT**LOG ID:****012484**WELL TYPE

Private Well

DRILL DATE: 1952/01/20TOWNSHIP RANGE SECTION

52N

21W

5

ELEVATION: 752FTDRILL DEPTH: 394FTUTM XUTM YDEPTH TO BED: 60FT

480,633.89

4,352,594.32

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: IN MIAMI - UNUSABLE SALT WATERS.W.L. (AFTER CASING):**LOG ID:****012133**WELL TYPE

Private Well

DRILL DATE: 1952//TOWNSHIP RANGE SECTION

52N

21W

9

ELEVATION: 774FTDRILL DEPTH: 295FTUTM XUTM YDEPTH TO BED: 130FT

481,892.92

4,351,307.31

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: formerly in name of Cast Stonner - in MiamiS.W.L. (AFTER CASING):**LOG ID:****002965**WELL TYPE

Community Public Well

DRILL DATE:TOWNSHIP RANGE SECTION

52N

22W

24

ELEVATION: 668FTDRILL DEPTH: 100FTUTM XUTM YDEPTH TO BED: 62FT

476,328.84

4,346,814.15

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: #2 VAN METER STATE PARKS.W.L. (AFTER CASING): 35

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
004378

WELL TYPE
Private Well

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 725FT
52N 22W 25
DRILL DEPTH: 82FT UTM X UTM Y
DEPTH TO BED: 477,683.83 4,345,609.15
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: EAST OF VAN METER STATE PARK
S.W.L. (AFTER CASING):

LOG ID:
003102

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1934/10/29 TOWNSHIP RANGE SECTION ELEVATION: 634FT
52N 22W 25
DRILL DEPTH: 180FT UTM X UTM Y
DEPTH TO BED: 100FT 477,183.83 4,345,711.14
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: VAN METER STATE PARK
S.W.L. (AFTER CASING):

LOG ID:
004380

WELL TYPE
Private Well

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 665FT
52N 22W 25
DRILL DEPTH: 75FT UTM X UTM Y
DEPTH TO BED: 477,683.83 4,345,203.14
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: E OF VAN METER STATE PARK
S.W.L. (AFTER CASING):

LOG ID:
024417

WELL TYPE
WATER TEST WELL (HOLE)

DRILL DATE: 1966/09/19 TOWNSHIP RANGE SECTION ELEVATION: 631FT
53N 20W 29
DRILL DEPTH: 40FT UTM X UTM Y
DEPTH TO BED: 490,651.10 4,356,495.49
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: TEETER FARM
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**024414**WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE: 1966/09/19TOWNSHIP RANGE SECTION

53N

20W

29

ELEVATION: 637FTDRILL DEPTH: 32FTUTM X UTM Y

490,651.10 4,356,071.49

ZONE 15

DEPTH TO BED:S.W.L. (BEFORE CASING):REMARKS: E. TEETERS.W.L. (AFTER CASING):**LOG ID:****009960**WELL TYPE

Private Well

DRILL DATE: 1947/01/27TOWNSHIP RANGE SECTION

53N

20W

31

ELEVATION: 747FTDRILL DEPTH: 95FTUTM X UTM Y

488,477.07 4,353,347.42

ZONE 15

DEPTH TO BED: 40FTS.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 55**LOG ID:****013479**WELL TYPE

Private Well

DRILL DATE: 1955//TOWNSHIP RANGE SECTION

53N

20W

32

ELEVATION: 718FTDRILL DEPTH: 230FTUTM X UTM Y

490,600.11 4,354,848.46

ZONE 15

DEPTH TO BED: 40FTS.W.L. (BEFORE CASING): FTREMARKS: 5 MI E, 1 MI N OF MIAMIS.W.L. (AFTER CASING): 83**LOG ID:****009882**WELL TYPE

Private Well

DRILL DATE:TOWNSHIP RANGE SECTION

53N

20W

32

ELEVATION: 732FTDRILL DEPTH: 91FTUTM X UTM Y

489,600.09 4,354,204.44

ZONE 15

DEPTH TO BED:S.W.L. (BEFORE CASING):REMARKS: formerly in name of Ralph Mayfield Well #2 - 12 miles NW of Slater, E of Miami, see Log #9881 - two wells 50 ft apartS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**009881**WELL TYPE

Private Well

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 732FT
53N 20W 32
DRILL DEPTH: 215FT UTM X UTM Y
DEPTH TO BED: 95FT 489,600.09 4,354,204.44
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: 12 MI NW OF SLATER, E OF MIAMI - 2 WELLS 50' APART
S.W.L. (AFTER CASING):

LOG ID:**012246**WELL TYPE

Private Well

DRILL DATE: 1952/09/01 TOWNSHIP RANGE SECTION ELEVATION: 732FT
53N 20W 33
DRILL DEPTH: 196FT UTM X UTM Y
DEPTH TO BED: 65FT 491,844.14 4,353,911.46
ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 42

LOG ID:**009880**WELL TYPE

Private Well

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 730FT
53N 20W 33
DRILL DEPTH: 90FT UTM X UTM Y
DEPTH TO BED: 40FT 491,444.13 4,353,701.45
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: NW OF SLATER
S.W.L. (AFTER CASING):

SALINE